


brother
at your side

Product Guide 2016



Contents	<i>Page</i>
Mono	1 - 28
Colour	29 - 44
Inkjet	45 - 56
Portable Print	57 - 72
Scanners	73 - 86
Labelling	87 - 110
Fax	111 - 118
Solutions	119 - 128
Supplies	129 - 143

Mono

Mono Printer Range

*Professional quality in black and white.
Guaranteeing fast, cost-effective print
your customers can rely on.*

	1000 Series	L2000 Series	L5000 Series
Target Audience	Home Office	Home Office / Small Office	SMB
Recommended No. of Users	Up to 2 Users	Up to 3 Users	Up to 5 Users
Recommended Monthly Duty Cycle	Up to 500 pages	Up to 1,000 pages	Up to 3,500 pages
Printer Models	HL-1110 HL-1210W	HL-L2300D HL-L2340DW HL-L2360DW HL-L2365DW	HL-L5000D HL-L5100DN HL-L5100DNT HL-L5200DW HL-L5200DWT
All-in-One Models	DCP-1510 DCP-1610W MFC-1910W	DCP-L2500D DCP-L2520DN DCP-L2540DN MFC-L2700DN MFC-L2700DW MFC-L2720DW MFC-L2740DW	DCP-L5500DN MFC-L5700DN MFC-L5750DW

L6000 Series	L6000 Workgroup Series	HL-S7000 Series
SMB	Workgroup / SMB	Workgroup / Batch Printing
Up to 10 Users	Up to 20 Users	Up to 20 Users
Up to 5,000 pages	Up to 10,000 pages	Up to 20,000 pages
HL-L6300DW HL-L6300DWT	HL-L6400DW HL-L6400DWT	HL-S7000DN50G2 HL-S7000DN70G2 HL-S7000DN100G2
DCP-L6600DW MFC-L6800DW MFC-L6800DWT	MFC-L6900DW MFC-L6900DWT	



1000 Mono Laser Series

Compact, affordable and reliable, these mono laser printers are perfect for home use, where volumes are low and space is limited.

Perfect for

- Printing up to 500 pages per month
- Sharing with up to 2 users
- A4 print
- Small spaces, due to compact, space-saving design
- Small, home offices

Supplies

Standard Toner

TN-1050 - 1,000 pages

Drum Unit

DR-1050 - 10,000 pages

What's in the box

700 Page Toner Cartridge, DR-1050 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

20ppm mono

Paper Input

Standard tray - 150 sheets up to A4

Manual feed slot - 1 sheet up to A4

Paper Output

50 sheets

Media Weights

Standard tray: 65 -105 g/m2

Media Sizes: Standard Tray

A4, letter

Memory Capacity

128 MB

2-Sided Print

Manual 2-sided print

Print Resolution

600 x 600dpi

Printer Language

GDI

Connectivity

USB

Power Consumption

Operating: 380 W

Sleep Mode: 0.7 W

Ready: 40 W

Off: 0.28 W

Model Specific Specification



HL-1110

Type

Print

Memory Capacity

1 MB

Dimensions and Weight

Size with carton

415(W) x 313(D) x 294(H) mm

Weight with carton

5.3 KG

Size without carton

340(W) x 238(D) x 189(H) mm

Weight without carton

4.5 KG



HL-1210W

Type

Print

Memory Capacity

32 MB

Connectivity

Wireless network

Media Sizes: Standard Tray

A4, A5, letter

Dimensions and Weight

Size with carton

415(W) x 303(D) x 324(H) mm

Weight with carton

5.5 KG

Size without carton

340(W) x 238(D) x 189(H) mm

Weight without carton

4.6 KG



High quality mono print



Separate toner and drum unit to reduce running costs



150 sheet paper capacity

1000 All-in-One Mono Laser Series

Perfect for home use, these affordable, reliable, printers can also scan and copy.

Perfect for

- Printing up to 500 pages per month
- Sharing with up to 2 users
- A4 print, copy, scan, fax
- Small spaces, due to compact, space-saving design

Supplies

Standard Toner

TN-1050 - 1,000 pages

Drum Unit

DR-1050 - 10,000 pages

What's in the box

700 Page Toner Cartridge, DR-1050 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

20ppm mono

Paper Input

Standard tray - 150 sheets up to A4

Paper Output

50 sheets

Media Weights

Standard tray: 65 - 105g/m2

Media Sizes: Standard Tray

A4, letter

Display

2 line x 16 characters

2-Sided Print

Manual 2-sided print

Print Resolution

600 x 600dpi

Copier Speed

20cpm mono

Optical Resolution (Scan)

600 x 1,200dpi

Printer Language

GDI

Connectivity

USB

Power Consumption

Operating: 380 W

Sleep Mode: 0.8 W

Ready: 40 W

Off: 0.28 W

Model Specific Specification



DCP-1510

Type

Print, copy, scan

Memory Capacity

16 MB

Dimensions and Weight

Size with carton

505(W) x 458(D) x 436(H) mm

Weight with carton

8.9 KG

Size without carton

385(W) x 340(D) x 255(H) mm

Weight without carton

7 KG



DCP-1610W

Type

Print, copy, scan

Memory Capacity

32 MB

Connectivity

Wireless network

Dimensions and Weight

Size with carton

569(W) x 265(D) x 398(H) mm

Weight with carton

11.9 KG

Size without carton

480(W) x 290(D) x 188(H) mm

Weight without carton

9.5 KG



MFC-1910W

Type

Print, copy, scan, fax

Memory Capacity

32 MB

Automatic Document Feeder

10 sheets

ADF Optical Resolution (Scan)

600 x 600dpi

Connectivity

Wireless network

Media Weights

ADF: 65 - 90g/m2

Media Sizes: Standard Tray

A4, A5, letter, folio

Media Sizes: ADF

A4, letter, legal, folio

Fax Modem

14,400 BPS

Dimensions and Weight

Size with carton

481(W) x 436(D) x 425(H) mm

Weight with carton

10.1 KG

Size without carton

385(W) x 340(D) x 283(H) mm

Weight without carton

8.2 KG



High quality mono prints



Built-in scan function helps digitise important documents



Separate toner and drum unit reduces running costs

L2000 Mono Laser Series

Affordable, business quality printing for the home or small office. These highly reliable, compact printers have low running costs.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- Small spaces, due to compact, space-saving design
- Saving money, with low operating costs
- Professional quality prints

Supplies

Standard Toner

TN-2310 - 1,200 pages
TN-2320 - 2,600 pages

Drum Unit

DR-2300 - 12,000 pages

What's in the box

Toner Cartridge*, DR-2300 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

* HL-2300D, HL-L2340DW and HL-L2360DN comes with a 700 page toner cartridge
* HL-L2365DW comes with a 1,200 page toner cartridge

Range Specification

Paper Input

Standard tray - 250 sheets up to A4
Manual feed slot - 1 sheet up to A4

Paper Output

100 sheets

Media Weights

Standard tray: 65 -105g/m2
Manual tray: 60 -163g/m2

Media Sizes: Standard Tray

A4, letter

Media Sizes: Manual Tray

Width: 76.2mm to 215.9mm
Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

600 x 600dpi

Connectivity

USB

Dimensions and Weight

Size with carton

441(W) x 286(D) x 504(H) mm

Weight with carton

8 KG

Size without carton

356(W) x 360(D) x 183(H) mm

Weight without carton

6.9 KG

Model Specific Specification



HL-L2300D

Type

Print

Display

LED

Print Speed

26ppm mono

Memory Capacity

8 MB

Printer Language

GDI

Power Consumption

Operating: 455 W
Sleep Mode: 5.4 W
Ready: 58 W
Off: 0.06W



HL-L2340DW

Type

Print

Display

1 line x 16 characters

Print Speed

26ppm mono

Memory Capacity

32 MB

Connectivity

Wireless network

Printer Language

GDI

Power Consumption

Operating: 455 W
Sleep Mode: 5.4 W
Ready: 58 W
Off: 0.06 W



HL-L2360DN

Type

Print

Display

1 line x 16 characters

Print Speed

30ppm mono

Memory Capacity

32 MB

Connectivity

Wired network

Printer Language

PCL6

Power Consumption

Operating: 537 W
Sleep Mode: 5.4 W
Ready: 58 W
Off: 0.6 W



HL-L2365DW

Type

Print

Display

1 line x 16 characters

Print Speed

30ppm mono

Memory Capacity

32 MB

Connectivity

Wireless network

Wired network

Printer Language

PCL6

Power Consumption

Operating: 380 W
Sleep Mode: 0.7 W
Ready: 40 W
Off: 0.28 W



Automatic 2-sided printing saves on paper consumption



Booklet printing available



Rear manual feed ideal for various media sizes

L2000 All-in-One Mono Laser Series

With low running costs, these compact, reliable machines also have USB, wired or wireless connectivity options.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- Small spaces, due to compact, space-saving design
- Saving money, with low operating costs
- Professional quality prints

Supplies

Standard Toner

TN-2310 - 1,200 pages
TN-2320 - 2,600 pages

Drum Unit

DR-2300 - 12,000 pages

What's in the box

Toner Cartridge*, DR-2300 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

* HL-L2500D comes with a 700 page toner cartridge
* DCP-L2520DW and DCP-L2540DN comes with a 1,200 page toner cartridge

Range Specification

Paper Input

Standard tray - 250 sheets up to A4
Manual feed slot - 1 sheet up to A4

Display

2 line x 16 characters

Paper Output

100 sheets

Media Weights

Standard tray - 60 - 105g/m2
Manual feed slot - 60 - 163g/m2

Media Sizes: Standard Tray

A4, A5, A6, letter

Media Sizes: Manual Feed Slot

Width: 76.2mm to 215.9mm
Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Memory Capacity

32 MB

Print Resolution

2,400 x 600dpi

Optical Resolution (Scan)

600 x 2,400dpi

Connectivity

USB

Model Specific Specification



DCP-L2500D

Type

Print, copy, scan

Print Speed

26ppm mono

Copier Speed

26cpm mono

Printer Language

GDI

Power Consumption

Operating: 480 W
Sleep Mode: 6.6 W
Ready: 60 W
Off: 0.08 W

Dimensions and Weight

Size with carton
567(W) x 517(D) x 414(H) mm
Weight with carton
12.5 KG
Size without carton
409(W) x 398.5 (D) x267(H) mm
Weight without carton
9.7 KG



DCP-L2520DW

Type

Print, copy, scan

Connectivity

Wireless network

Print Speed

26ppm mono

Copier Speed

26cpm mono

Printer Language

GDI

Power Consumption

Operating: 480 W
Sleep Mode: 6.6W
Ready: 60 W
Off: 0.08 W

Dimensions and Weight

Size with carton
567(W) x 517(D) x 414(H) mm
Weight with carton
12.5 KG
Size without carton
409(W) x 398.5(D) x 267(H) mm
Weight without carton
9.7 KG



DCP-L2540DN

Type

Print, copy, scan

Connectivity

Wired network

Print Speed

30ppm mono

Copier Speed

30cpm mono

Printer Language

PCL6
BR-Script3
(PostScript®3™
Language
Emulation)
PDF 1.7
XPS

Automatic Document Feeder

35 sheet

ADF Optical Resolution (Scan)

600 x 600dpi

Media Weights

ADF: 64 - 90g/m2

Power Consumption

Operating: 510 W
Sleep Mode: 6.6 W
Ready: 60 W
Off: 0.08 W

Dimensions and Weight

Size with carton
481(W) x 436(D) x 425(H) mm
Weight with carton
10.1 KG
Size without carton
385(W) x 340(D) x 283(H) mm
Weight without carton
8.2 KG



Built in scan function



Automatic 2-sided print
reduces paper consumption



Ability to print booklets
straight from the tray

L2000 All-in-One Mono Laser Series with Fax

Reliable, business quality print with low running costs and wired or wireless connectivity options.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- Small spaces, due to compact, space-saving design
- Saving money, with low operating costs
- Professional quality prints

Supplies

Standard Toner

TN-2310 - 1,200 pages
TN-2320 - 2,600 pages

Drum Unit

DR-2300 - 12,000 A4 pages

What's in the box

Toner Cartridge*, DR-2300 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

* MFC-L2700DN and MFC-L2700DW comes with a 700 page toner cartridge
* MFC-L2720DW and MFC-L2740DW comes with a 1,200 page toner cartridge

Range Specification

Paper Input

Standard tray - 250 sheets up to A4
Manual feed slot - 1 sheet up to A4

Paper Output

100 sheets

Automatic Document Feeder

35 sheets

Media Weights

Standard tray - 60 - 105g/m2
Manual feed slot - 60 - 163g/m2
ADF - 64 - 90g/m2

Media Sizes: Standard Tray

A4, A5, A6, letter

Media Sizes: Manual Feed Slot

Width: 76.2mm to 215.9mm
Length: 127mm to 355.6mm

Media Sizes: ADF

Width: 147.3mm to 215.9mm
Length: 147.3mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

2,400 x 600dpi

Optical Resolution (Scan)

600 x 2,400dpi

ADF Optical Resolution (Scan)

600 x 600dpi

Connectivity

USB

Fax Modem

33,600 BPS

Power Consumption

Operating: 480 W
Sleep Mode: 6.6 W
Ready: 60 W
Off: 0.08 W

Model Specific Specification



MFC-L2700DN

Type

Print, copy, scan, fax

Display

2 line x 16 characters

Connectivity

Wired network

Memory Capacity

32 MB

Print Speed

24ppm mono

Copier Speed

26cpm mono

Printer Language

GDI

Dimensions and Weight

Size with carton

567(W) x 517(D) x 435(H) mm

Weight with carton

14.4 KG

Size without carton

409(W) x 398.5(D) x 316.5(H) mm

Weight without carton

11.4 KG



MFC-L2700DW

Type

Print, copy, scan, fax

Display

2 line x 16 characters

Connectivity

Wireless network
Wired network

Memory Capacity

32 MB

Print Speed

26ppm mono

Copier Speed

26cpm mono

Printer Language

GDI

Dimensions and Weight

Size with carton

567(W) x 517(D) x 435(H) mm

Weight with carton

14.4 KG

Size without carton

409(W) x 398.5(D) x 316.5(H) mm

Weight without carton

11.4 KG



MFC-L2720DW

Type

Print, copy, scan, fax

Display

6.8cm colour LCD
touchscreen

Connectivity

Wireless network
Wired network

Memory Capacity

64 MB

Print Speed

30ppm mono

Copier Speed

30cpm mono

Printer Language

PCL6
BR-Script3
(PostScript®3TM
Language Emulation)
PDF 1.7
XPS

Dimensions and Weight

Size with carton

567(W) x 517(D) x 435(H) mm

Weight with carton

14.6 KG

Size without carton

409(W) x 398.5(D) x 316.5(H) mm

Weight without carton

11.6 KG



MFC-L2740DW

Type

Print, copy, scan, fax

Display

6.8cm colour LCD
touchscreen

Connectivity

Wireless network
Wired network

Memory Capacity

64 MB

Print Speed

30ppm mono

Copier Speed

30cpm mono

2-Sided Scan

Automatic 2-sided scan

2-Sided Copy

Automatic 2-sided copy

2-Sided Fax

Automatic 2-sided fax

Printer Language

PCL6
BR-Script3
(PostScript®3TM
Language Emulation)
PDF 1.7
XPS

Dimensions and Weight

Size with carton

567(W) x 517(D) x 435(H) mm

Weight with carton

14.8 KG

Size without carton

409(W) x 398.5(D) x 316.5(H) mm

Weight without carton

11.8 KG



Duplex print to reduce paper consumption



Suitable for booklet printing



Separate toner and drum unit to reduce costs

L5000 Mono Laser Series

Reliability, speed and low running costs make these printers ideal for small to medium sized businesses and public sector organisations.

Perfect for

- Printing up to 3,500 pages per month
- Sharing with up to 5 users
- High security features
- Reliability and speed
- Saving money, with low operating costs
- Workflow connectivity

Supplies

Standard Toner

TN-3430 - 3,000 pages

High Yield Toner

TN-3480 - 8,000 pages

Drum Unit

DR-3400 - 30,000 pages

Optional Lower Tray

LT-5500 - 250 sheets

LT-6500 - 520 sheets

Optional Parallel interface cable

PC-5000

What's in the box

Toner Cartridge*, DR3400 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

* HL-L5000D comes with 2,000 page toner cartridge and HL-L5100DN and HL-L5200DW comes with 3,000 page toner cartridge

** HL-L5200DW and HL-L5200DWT only

Range Specification

Print Speed

40ppm mono

Paper Input

Standard tray - 250 sheets up to A4

Multi-purpose tray - 50 sheets

Paper Output

150 sheets

Display

1 line x 16 characters

Media Weights

Standard & optional tray: 65 - 120g/m2

Multi-purpose tray: 60 - 200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Manual Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

1,200 x 1,200dpi

Connectivity

USB

Print Languages

PCL6

BR-Script3 (PostScript®3TM Language Emulation)

IBM ProprinterXL

Epson FX-850

PDF version 1.7

XPS version 1.0

Power Consumption

Operating: 640 W

Sleep Mode: 6.5 W

Ready: 32 W

Off: 0.04 W

Model Specific Specification



HL-L5000D

Type

Print

Memory Capacity

128 MB

Dimensions and Weight

Size with carton

485(W) x 450(D) x 377(H) mm

Weight with carton

13 KG

Size without carton

373(W) x 388(D) x 255(H) mm

Weight without carton

10.7 KG



HL-L5100DN

Type

Print

Memory Capacity

256 MB

Connectivity

Wired network

Dimensions and Weight

Size with carton

567(W) x 517(D) x 414(H) mm

Weight with carton

12.5 KG

Size without carton

409(W) x 398.5(D) x 267(H) mm

Weight without carton

9.7 KG

HL-L5100DNT also available

This model includes an additional 500 sheet lower tray

Dimensions and Weight

Size with carton

662(W) x 522(D) x 702(H) mm

Weight with carton

22.0 KG

Size without carton

373(W) x 388(D) x 387(H) mm

Weight without carton

14.6 KG



HL-L5200DW

Type

Print

Memory Capacity

256 MB

Connectivity

Wireless network

Wired network

Dimensions and Weight

Size with carton

485(W) x 450(D) x 377(H) mm

Weight with carton

13 KG

Size without carton

373(W) x 388(D) x 255(H) mm

Weight without carton

10.7 KG

HL-L5200DWT also available

This model includes an additional 500 sheet lower tray

Dimensions and Weight

Size with carton

662(W) x 522(D) x 702(H) mm

Weight with carton

22.0 KG

Size without carton

373(W) x 388(D) x 387(H) mm

Weight without carton

14.6 KG



Customisable tray options



User-friendly buttons and display



Wireless network connectivity**

L5000 All-in-One Mono Laser Series

With professional security and connectivity features, these reliable, cost-efficient machines are perfect for small to medium sized businesses and public sector organisations.

Perfect for

- Printing up to 3,500 pages per month
- Sharing with up to 5 users
- High security features
- Reliability and speed
- Saving money, with low operating costs
- Workflow connectivity

Supplies

Standard Toner

TN-3430 - 3,000 pages

High Yield Toner

TN-3480 - 8,000 pages

Drum Unit

DR-3400 - 30,000 pages

Optional Lower Tray

LT-5500 - 250 sheets

LT-6500 - 520 sheets

What's in the box

2,000 Page Toner Cartridge, DR3400 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

40ppm mono

Paper Input

Standard tray - 250 sheets up to A4

Multi-purpose tray - 50 sheets up to A4

Paper Output

150 sheets

Memory Capacity

256 MB

Media Weights

Standard & optional tray: 65 - 120g/m2

Multi-purpose tray: 60 - 200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Manual Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

1,200 x 1,200dpi

Optical Resolution (Scan)

1,200 x 1,200dpi

Scan Resolution from ADF

600 x 600dpi

Connectivity

USB

Wired network

Print Languages

PCL6

BR-Script3 (PostScript®3™ Language Emulation)

IBM ProprinterXL

Epson FX-850

PDF version 1.7

XPS version 1.0

Power Consumption

Operating: 645 W

Sleep Mode: 7.5 W

Ready: 34 W

Off: 0.04 W

Model Specific Specification



DCP-L5500DN

Type

Print, copy, scan

Display

9.3cm colour touchscreen

Automatic Document Feeder

40 sheets

Dimensions and Weight

Size with carton

545(W) x 520(D) x 641(H) mm

Weight with carton

19.7 KG

Size without carton

435(W) x 427(D) x 486(H) mm

Weight without carton

16.4 KG



MFC-L5700DN

Type

Print, copy, scan, fax

Display

9.3cm colour touchscreen

Automatic Document Feeder

50 sheets

Fax Modem

33,600 BPS

Dimensions and Weight

Size with carton

545(W) x 520(D) x 641(H) mm

Weight with carton

20.1 KG

Size without carton

435(W) x 427(D) x 486(H) mm

Weight without carton

16.5 KG



MFC-L5750DW

Type

Print, copy, scan, fax

Display

12.3cm colour touchscreen

Connectivity

Wireless network

Automatic Document Feeder

50 sheets

Fax Modem

33,600 BPS

2-Sided Fax

Automatic 2-sided fax

2-Sided Scan

Automatic 2-sided scan

2-Sided Copy

Automatic 2-sided copy

Dimensions and Weight

Size with carton

545(W) x 520(D) x 641(H) mm

Weight with carton

20.2 KG

Size without carton

435(W) x 427(D) x 486(H) mm

Weight without carton

16.5 KG



Large colour touchscreen display, up to 12.3cm



Customisable tray options



Print and scan direct from/to USB

L6000 Mono Laser Series

Ideal for the busy office, these business quality mono laser printers give enterprise level integration and security without enterprise costs.

Perfect for

- Printing up to 5,000 pages per month
- Sharing with up to 10 users
- Customising the colour touchscreen via Brother Solutions Interface
- High security features
- Saving money, with low operating costs
- Workflow connectivity

Supplies

Standard Toner

TN-3430 - 3,000 pages

High Yield Toner

TN-3480 - 8,000 pages

Super High Yield Toner

TN-3512 - 12,000 pages

Drum Unit

DR-3400 - 30,000 pages

Optional Lower Trays

LT-5505 - 250 sheets

LT-6505 - 520 sheets

Optional Tower Tray

LT-4000 - 4 x 520 sheets

Card Reader Holder

CH-1000

Optional Paper Output Mailbox

MX-4000 - 4 x bin

What's in the box

8,000 Page Toner Cartridge, DR-3400 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

46ppm mono

Paper Input

Standard tray - 520 sheets up to A4

Multi-purpose tray - 50 sheets up to A4

Paper Output

250 sheets

Media Weights

Standard & optional trays - 60 - 120g/m2

Multi-purpose tray - 60 - 200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Multi-Purpose Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

Display

4.5cm colour touchscreen

2-Sided Print

Automatic 2-sided print

Memory Capacity

256 MB

Print Resolution

1,200 x 1,200dpi

Connectivity

USB

Wireless network

Wired network

NFC

Print Languages

PCL6

BR-Script3 (PostScript®3™ Language Emulation)

IBM ProprinterXL

Epson FX-850

PDF version 1.7

XPS version 1.0

Model Specific Specification



HL-L6300DW

Type

Print

Dimensions and Weight

Size with carton

497(W) x 492(D) x 427(H) mm

Weight with carton

15.8 KG

Size without carton

400(W) x 396(D) x 288(H) mm

Weight without carton

13.2 KG



HL-L6300DWT

Type

Print

Paper Input

Standard tray - 2 x 520 sheet up to A4

Optional tray - 1 x 250 sheet up to A4

Dimensions and Weight

Size with carton

662(W) x 522(D) x 752(H) mm

Weight with carton

25.3 KG

Size without carton

400(W) x 396(D) x 420(H) mm

Weight without carton

17.1 KG



8,000 page super high yield in-box toner



Customisable tray and mailbox options



Easy to use 4.5cm colour touchscreen

L6000 All-in-One Mono Laser Series

Ideal for the busy office, these business quality mono laser printers give enterprise level integration and security without enterprise costs.

Perfect for

- Printing up to 5,000 pages per month
- Sharing with up to 10 users
- Customising the colour touchscreen via Brother Solutions Interface
- High security features
- Saving money, with low operating costs
- Workflow connectivity

Supplies

Standard Toner

TN-3430 - 3,000 pages

High Yield Toner

TN-3480 - 8,000 pages

Super High Yield Toner

TN-3512 - 12,000 pages

Drum Unit

DR-3400 - 30,000 pages

Optional Lower Trays

LT-5505 - 250 sheets

LT-6505 - 520 sheets

Optional Tower Tray

LT-4000 - 4 x 520 sheets

Card Reader Holder

CH-1000

What's in the box

8,000 Page Toner Cartridge, DR-3400 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

46ppm mono

Paper Input

Standard tray - 520 sheets up to A4

Multi-purpose tray - 50 sheets up to A4

Paper Output

250 sheets

Media Weights

Standard & optional trays - 60 - 120g/m2

Multi-purpose tray - 60 - 200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Multi-Purpose Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Automatic Document Feeder

80 sheets

Print Resolution

1,200 x 1,200dpi

Connectivity

USB

Wireless network

Wired network

NFC

Print Languages

PCL6

BR-Script3 (PostScript®3™ Language Emulation)

IBM ProprinterXL

Epson FX-850

PDF version 1.7

XPS version 1.0

Model Specific Specification



DCP-L6600DW

Type

Print, copy, scan

Display

12.3cm colour touchscreen

Memory Capacity

512 MB

Optical Resolution (Scan)

1,200 x 1,200dpi

Scan Resolution from ADF

600 x 600dpi

Copier Speed

46cpm mono

2-Sided Copy

Automatic 2-sided copy

Power Consumption

Operating: 745 W

Sleep Mode: 8 W

Ready: 34 W

Off: 0.04 W

Dimensions and Weight

Size with carton

599(W) x 526(D) x 659(H) mm

Weight with carton

22.3 KG

Size without carton

495(W) x 427(D) x 518(H) mm

Weight without carton

18.5 KG



MFC-L6800DW

Type

Print, copy, scan, fax

Display

12.3cm colour touchscreen

Memory Capacity

512 MB

Optical Resolution (Scan)

1,200 x 1,200dpi

Scan Resolution from ADF

600 x 600dpi

Copier Speed

46cpm mono

2-Sided Copy

Automatic 2-sided copy

Fax Modem

33,600 BPS

2-Sided Faxing

Automatic 2-sided fax

Power Consumption

Operating: 745 W

Sleep Mode: 8 W

Ready: 34 W

Off: 0.04 W

Dimensions and Weight

Size with carton

599(W) x 526(D) x 659(H) mm

Weight with carton

22.9 KG

Size without carton

495(W) x 427(D) x 518(H) mm

Weight without carton

18.9 KG



MFC-L6800DWT

Type

Print, copy, scan, fax

Display

12.3cm colour touchscreen

Memory Capacity

512 MB

Optical Resolution (Scan)

1,200 x 1,200dpi

Scan Resolution from ADF

600 x 600dpi

Copier Speed

46cpm mono

2-Sided Copy

Automatic 2-sided copy

Fax Modem

33,600 BPS

2-Sided Faxing

Automatic 2-sided fax

Power Consumption

Operating: 745 W

Sleep Mode: 8 W

Ready: 34 W

Off: 0.04 W

Dimensions and Weight

Size with carton

592(W) x 545(D) x 944(H) mm

Weight with carton

28.3 KG

Size without carton

495(W) x 427(D) x 650(H) mm

Weight without carton

22.8 KG



Large 12.3cm colour touchscreen



8,000 page super high yield toner in-box



Automatic document feeder

L6000 Mono Laser Workgroup Series

These professional workgroup mono laser printers give enterprise level integration and security without enterprise costs.

Perfect for

- Printing up to 10,000 pages per month
- Sharing with up to 20 users
- Customising the colour touchscreen via Brother Solutions Interface
- Workflow connectivity
- A range of modular customisation options for a diverse working environment

Supplies

- Standard Toner**
TN-3430 - 3,000 pages
- High Yield Toner**
TN-3480 - 8,000 pages
- Super High Yield Toner**
TN-3512 - 12,000 pages
- Ultra High Yield Toner**
TN-3520 - 20,000 pages
- Drum Unit**
DR-3400 - 30,000 pages
- Optional Lower Trays**
LT-5505 - 250 sheets
LT-6505 - 520 sheets
- Optional Paper Input Tower Tray**
TT-4000 - 4 x 520 sheets
- Card Reader Holder**
CH-1000
- Optional Paper Output Mailbox**
MX-4000 - 4 x bins

What's in the box

12,000 Page Toner Cartridge, DR-3400 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

50ppm mono

Paper Input

Standard tray - 520 sheets up to A4

Multi-purpose tray - 50 sheets up to A4

Paper Output

250 sheets

Display

4.5cm colour touchscreen

Media Weights

Standard & optional trays - 60 - 120g/m2

Multi-purpose tray - 60 - 200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Multi-Purpose Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

1,200 x 1,200dpi

Connectivity

USB

Wireless network

Wired network

NFC

Print Languages

PCL6

BR-Script3 (PostScript®3™ Language Emulation)


IBM ProprinterXL

Epson FX-850

PDF version 1.7

XPS version 1.0

Model Specific Specification



HL-L6400DW

Type

Print

Memory Capacity

512 MB

Power Consumption

Operating: 770W

Sleep Mode: 7.3W

Ready: 32W

Off: 0.04W

Dimensions and Weight

Size with carton

497(W) x 492(D) x 531(H) mm

Weight with carton


16 KG

Size without carton

400(W) x 396(D) x 288(H) mm

Weight without carton

13.4 KG



HL-L6400DWT

Type

Print

Memory Capacity

512 MB

Power Consumption

Operating: 770W

Sleep Mode: 7.3W

Ready: 32W

Off: 0.04W

Dimensions and Weight

Size with carton

662(W) x 522(D) x 856(H) mm

Weight with carton

25.9 KG

Size without carton

400(W) x 396(D) x 420(H) mm

Weight without carton

17.3 KG



12,000 page super high yield in-box toner



Customisable tray and mailbox options



NFC enabled for mobile print and card authentication

L6000 Workgroup All-in-One Mono Laser Series

These professional workgroup mono laser printers give enterprise level integration and security without enterprise costs.

Perfect for

- Printing up to 10,000 pages per month
- Sharing with up to 20 users
- Customising the colour touchscreen via Brother Solutions Interface
- Workflow connectivity
- A range of modular customisation options for a diverse working environment

Supplies

- Standard Toner**
TN-3430 - 3,000 pages
- High Yield Toner**
TN-3480 - 8,000 pages
- Super High Yield Toner**
TN-3512 - 12,000 pages
- Ultra High Yield Toner**
TN-3520 - 20,000 pages
- Drum Unit**
DR-3400 - 30,000 pages
- Optional Lower Trays**
LT-5505 - 250 sheets
LT-6505 - 520 sheets
- Optional Paper Input Tower Tray**
TT-4000 - 4 x 520 sheets
- Card reader holder**
CH-1000

What's in the box

12,000 Page Toner Cartridge, DR-3400 Drum Unit, Power Supply Cord, Driver Software for Windows, Quick Set-up Guide. PC Interface Cable NOT included.

Range Specification

Print Speed

50ppm mono

Paper Input

Standard tray - 520 sheets up to A4

Multi-purpose tray - 50 sheets up to A4

Paper Output

250 sheets

Display

12.3cm colour touchscreen

Automatic Document Feeder

80 sheets

Media Weights

Standard & optional trays - 60 - 120g/m2

Multi-purpose tray - 60 - 200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Multi-Purpose Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

1,200 x 1,200dpi

Copier Speed

50cpm mono

2-Sided Copy

Automatic 2-sided copy

2-Sided Scan

Automatic 2-sided scan

Fax Modem

33,600 BPS

2-Sided Faxing

Automatic 2-sided fax

Connectivity

USB

Wireless network

Wired network

NFC

Model Specific Specification



MFC-L6900DW

Print Languages

PCL6
BR-Script3
(PostScript®3TM
Language Emulation)
IBM ProprinterXL
Epson FX-850
PDF version 1.7
XPS version 1.0

Power Consumption

Operating: 805 W
Sleep Mode: 8 W
Ready: 34 W
Off: 0.04 W

Dimensions and Weight

Size with carton
599(W) x 526(D) x 762(H) mm
Weight with carton
23.8 KG
Size without carton
495(W) x 427(D) x 518(H) mm
Weight without carton
19 KG



MFC-L6900DWT

Print Languages

PCL6
BR-Script3
(PostScript®3TM
Language Emulation)
IBM ProprinterXL
Epson FX-850
PDF version 1.7
XPS version 1.0

Power Consumption

Operating: 805 W
Sleep Mode: 8 W
Ready: 34 W
Off: 0.04 W

Dimensions and Weight

Size with carton
599(W) x 526(D) x 1047(H) mm
Weight with carton
29.2 KG
Size without carton
495(W) x 427(D) x 650(H) mm
Weight without carton
22.9 KG



Cutomisable tray options



NFC enabled for mobile print
and card authentication



12,000 page super high yield
in-box toner

HL-S7000DN High Speed Mono Inkjet Series

Suitable for high volume batch printing with ultra-high speeds and ultra-low running costs.

Perfect for

- Printing up to 20,000 pages per month
- Sharing up to 20 users
- A4 print
- Batch printing
- Saving money, with ultra-low running costs
- High speed printing

Supplies

- Standard Ink Cartridge**
Black (HC-05BK) - 30,000 pages
- Optional Lower Tray**
LT-7100 - 500 sheets
- Optional Stabilizer Unit (SB-7100)**
SB-7100 - recommended when 2 or more optional lower trays are installed
- Optional Output Stacker**
MX-7100 - 500 sheets

What's in the box

10,000 Page Ink Cartridge, Power Supply Cord, Driver CD for Windows & Mac, Quick Set-Up Guide, User Guide.

Range Specification

- Paper Input**
Standard tray - 500 sheets up to A4
Multi-purpose tray - 100 sheets up to A4
Optional lower trays - 1,500 sheets up to A4
- Paper Output**
500 sheets
- Display**
5 line x 16 character backlit LCD
- Media Weights**
Standard & optional tray – 60 - 105g/m2
Multi-purpose tray – 60 to 163g/m2
- Media Sizes: Standard Tray**
Standard & optional tray - A4, A5, letter
- Media Sizes: Multi-Purpose Tray**
Width: 76.2 to 216mm
Length: 127 to 355.6mm
- Memory Capacity**
512 MB
- 2-Sided Print**
Automatic 2-sided print
- Print Resolution**
600 x 600dpi
- Printer Language**
PCL6
BR-Script3 (Postscript®3™ Language Emulation)
XPS
- Connectivity**
USB
Wired network
Wireless network
- Power Consumption**
Operating: 130W
Sleep Mode: 0.9W
Ready: 30W
Off: 0.5W
- Dimensions and Weight**
Size with carton
642(W) x 665(D) x 729(H) mm
Weight with carton
52 KG
Size without carton
478(W) x 472(D) x 484(H) mm
Weight without carton
46 KG

Model Specific Specification



HL-S7000DN50

- Type**
Print
- Print Speed**
50ppm mono



HL-S7000DN70

- Type**
Print
- Print Speed**
70ppm mono



HL-S7000DN100

- Type**
Print
- Print Speed**
100ppm mono



Customisable tray and mailbox options



User-friendly buttons and display



10,000 page in-box ink cartridge

Colour

Colour Printer Range

Professional business colour is the perfect way for your customers to make a more powerful impression with colour quality and images that are crisp and clear down to the last detail.

	3000/9000 Series	L8000 Series	L9000 Series
Target Audience	Home office / Small office	SMB	SMB
Recommended No. of Users	Up to 3 Users	Up to 5 Users	Up to 10 Users
Recommended Monthly Duty Cycle	Up to 1,000 pages	Up to 2,000 pages	Up to 5,000 pages
Printer Models	HL-3140CW HL-3150CDW HL-3170CDW	HL-L8250CDN HL-L8350CDW	HL-L9200CDWT
All-in-One Models	DCP-9015CDW DCP-9020CDW MFC-9140CDN MFC-9330CDW MFC-9340CDW	DCP-L8400CDN DCP-L8450CDW MFC-L8650CDW MFC-L8850CDW	MFC-L9550CDWT



3000 Colour LED Printer Series

High performance combined with great value. These printers are reliable, robust, easy to use and an affordable option for small businesses looking for high-impact colour printing.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- A4 print
- Printing from/scanning to a range of mobile/tablet devices
- Printing from/scanning to cloud based services
- Small spaces due to compact, space-saving design
- Growing businesses such as at home start-ups or small offices

Supplies

- Standard Yield Supplies**
Black Toner (TN-241BK) 2,500 pages
Cyan Toner (TN-241C) 1,400 pages
Magenta Toner (TN-241M) 1,400 pages
Yellow Toner (TN-241Y) 1,400 pages
- High Yield Supplies**
Cyan Toner (TN-245C) 2,200 pages
Magenta Toner (TN-245M) 2,200 pages
Yellow Toner (TN-245Y) 2,200 pages
- Drum Unit**
DR-241CL - 15,000 pages
- Belt Unit**
BU-220CL - 50,000 pages
- Waste Toner Box**
WT-220CL - 50,000 pages

What's in the box

1,000 Page Black, Cyan, Magenta and Yellow Toner Cartridges, Drum Unit, Belt Unit, Waste Toner, Power Supply Cord, CD-ROM, Quick Set-up Guide, Driver Software for Windows & MAC.

Range Specification

Paper Input

Standard tray - 250 sheets up to A4
Manual feed slot - 1 sheet up to A4

Paper Output

100 sheets

Media Weights

Standard tray - 60 - 105g/m2
Manual feed slot - 60 - 163g/m2

Media Sizes: Standard Tray

A4, A5, A6, letter

Media Sizes: Manual Feed Slot

Width: 76.2mm to 215.9mm
Length: 116mm to 355.6mm

Display

1 line x 16 character backlit LCD

2-Sided Print

Manual 2-sided print

Print Resolution

2,400 x 600dpi

Connectivity

USB
Wireless network

Model Specific Specification



HL-3140CW

Type

Print

Memory Capacity

64 MB

Printer Language

GDI

Print Speed

18ppm colour & mono

Power Consumption

Operating: 335W
Sleep Mode: 5.5W
Ready: 60W
Off: 0.05W

Dimensions and Weight

Size with carton

597(W) x 251(D) x 364(H) mm

Weight with carton

21 KG

Size without carton

410(W) x 465(D) x 240(H) mm

Weight without carton

17.4 KG



HL-3150CDW

Type

Print

Connectivity

Wired network

Memory Capacity

64 MB

2-Sided Print

Automatic 2-sided print

Printer Language

GDI

Print Speed

18ppm colour & mono

Power Consumption

Operating: 335W
Sleep Mode: 5.5W
Ready: 60W
Off: 0.05W

Dimensions and Weight

Size with carton

597(W) x 251(D) x 364(H) mm

Weight with carton

21.4 KG

Size without carton

410(W) x 465(D) x 240(H) mm

Weight without carton

17.8 KG



HL-3170CDW

Type

Print

Connectivity

Wired network

Memory Capacity

128 MB

2-Sided Print

Automatic 2-sided print

Printer Language

PCL6, BR-Script3 (Postscript®3TM Language Emulation)

Print Speed

22ppm colour & mono

Power Consumption

Operating: 380W
Sleep Mode: 5.5W
Ready: 60W
Off: 0.05W

Dimensions and Weight

Size with carton

597(W) x 251(D) x 364(H) mm

Weight with carton

21.5 KG

Size without carton

410(W) x 465(D) x 240(H) mm

Weight without carton

18.1 KG



Easy-to-use navigation pad



Separate toner and drum units are ideal for cutting costs



Individual toner cartridges means you only replace the empty one

9000 Colour LED All-in-One Series

Reliable, robust and easy to use. This range combines high performance with great value for small businesses looking for high-impact colour printing with copy and scan functions.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- A4 print, copy and scan
- Printing from/scanning to your mobile/tablet devices
- Printing from/scanning to cloud services
- Saving money with low operating costs

Supplies

Standard Yield Supplies
Black Toner (TN-241BK) 2,500 pages
Cyan Toner (TN-241C) 1,400 pages
Magenta Toner (TN-241M) 1,400 pages
Yellow Toner (TN-241Y) 1,400 pages

High Yield Supplies
Cyan Toner (TN-245C) 2,200 pages
Magenta Toner (TN-245M) 2,200 pages
Yellow Toner (TN-245Y) 2,200 pages

Drum Unit
DR-241CL - 15,000 pages

Belt Unit
BU-220CL - 50,000 pages

Waste Toner Box
WT-220CL - 50,000 pages

What's in the box

1,000 Page Black, Cyan, Magenta and Yellow Toner Cartridges, Drum Unit, Belt Unit, Waste Toner, Power Supply Cord, CD-ROM, Quick Set-up Guide, Driver Software for Windows & MAC.

Range Specification

Print Speed
18ppm colour & mono

Paper Input
Standard tray - 250 sheets up to A4
Manual feed slot - 1 sheet up to A4

Paper Output
100 sheets

Media Weights
Standard tray - 60 - 105g/m2
Multi-purpose tray - 60 - 163g/m2

Media Sizes: Standard Tray
A4, A5, A6, letter

Media Sizes: Manual Feed Slot
Width: 76.2mm to 215.9mm
Length: 116mm to 355.6mm

Display
9.3cm colour touchscreen

2-Sided Print
Automatic 2-sided print

Memory Capacity
256 MB

Print Resolution
2,400 x 600dpi

Connectivity
USB
Wireless network

Optical Resolution (Scan)
1,200 x 2,400dpi

Copy Speed
18cpm colour & mono

Printer Language
PCL6, BR-Script3 (Postscript®3™ Language Emulation)

Power Consumption
Operating: 365W
Sleep Mode: 7W
Ready: 70W
Off: 0.05W


Model Specific Specification



DCP-9015CDW

Type
Print, copy, scan

Dimensions and Weight
Size with carton
602(W) x 534(D) x 565(H) mm
Weight with carton
26.4 KG
Size without carton
410(W) x 483(D) x 367(H) mm
Weight without carton
21.9 KG



DCP-9020CDW

Type
Print, copy, scan

Connectivity
Wired network

Automatic Document Feeder
35 sheets

Scan Resolution from ADF
1,200 x 600dpi

Media Weights - ADF
64 - 90g/m2

Media Sizes - ADF
Width: 147.3mm to 215.9mm x
Length: 147.3mm to 355.6mm

Dimensions and Weight
Size with carton
602(W) x 534(D) x 565(H) mm
Weight with carton
27.7 KG
Size without carton
410(W) x 483(D) x 410(H) mm
Weight without carton
18.3 KG



High quality prints every time



Automatic 2-sided print reduces paper consumption



Easy-to-navigate touchscreen display

9000 Colour LED All-in-One Series

Reliable, robust and easy to use. This range combines high performance with great value for small businesses looking for high-impact colour printing with copy and scan and fax functions.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- A4 print, copy, scan and fax
- Printing from/scanning to your mobile/tablet device
- Printing from/scanning to cloud based services
- Saving money with low operating costs

Supplies

Standard Yield Supplies
Black Toner (TN-241BK) 2,500 pages
Cyan Toner (TN-241C) 1,400 pages
Magenta Toner (TN-241M) 1,400 pages
Yellow Toner (TN-241Y) 1,400 pages

High Yield Supplies
Cyan Toner (TN-245C) 2,200 pages
Magenta Toner (TN-245M) 2,200 pages
Yellow Toner (TN-245Y) 2,200 pages

Drum Unit
DR-241CL - 15,000 pages

Belt Unit
BU-220CL - 50,000 pages

Waste Toner Box
WT-220CL - 50,000 pages

What's in the box

1,000 Page Black, Cyan, Magenta and Yellow Toner Cartridges, Drum Unit, Belt Unit, Waste Toner Box, Power Supply Cord, CD-ROM, Quick Set-up Guide, Driver Software for Windows & MAC.

Range Specification

Print Speed
22ppm colour & mono

Paper Input
Standard tray - 250 sheets up to A4
Multi-purpose tray - 50 sheets up to A4
Optional tray - 500 sheets up to A4

Paper Output
150 sheets

Media Weights
Standard tray - 60 - 105g/m2
Multi-purpose tray - 60 - 163g/m2

Media Sizes: Standard Tray
A4, A5, A6, letter

Media Sizes: Manual Feed Slot
Width: 76.2mm to 215.9mm
Length: 116mm to 355.6mm

Display
9.3cm colour touchscreen

2-Sided Print
Automatic 2-sided print

Automatic Document Feeder
35 sheets

Print Resolution
2,400 x 600dpi

Connectivity
USB
Wired network

Optical Resolution (Scan)
1,200 x 2,400dpi

Scan Resolution from ADF
1,200 x 600dpi

Copy Speed
22cpm colour & mono

2-Sided Copy
Automatic 2-sided copy

Fax Modem
33,600 BPS

Printer Language
PCL6, BR-Script3
(Postscript®3TM Language Emulation)

Model Specific Specification



MFC-9140CDN

Type
Print, copy, scan, fax

Memory Capacity
192 MB

Power Consumption
Operating: 565W
Sleep Mode: 9.5W
Ready: 65W
Off: 0.04W

Dimensions and Weight
Size with carton
602(W) x 534(D) x 565(H) mm
Weight with carton
27.9 KG
Size without carton
410(W) x 483(D) x 410(H) mm
Weight without carton
18.5 KG



MFC-9330CDW

Type
Print, copy, scan, fax

Memory Capacity
192 MB

Connectivity
Wireless network

Power Consumption
Operating: 565W
Sleep Mode: 9.5W
Ready: 65W
Off: 0.04W

Dimensions and Weight
Size with carton
602(W) x 534(D) x 565(H) mm
Weight with carton
27.5 KG
Size without carton
410(W) x 483(D) x 410(H) mm
Weight without carton
18.5 KG



MFC-9340CDW

Type
Print, copy, scan, fax

Memory Capacity
256 MB

Connectivity
Wireless network

2-Sided Scan
Automatic 2-sided scan

2-Sided Fax
Automatic 2-sided fax

Power Consumption
Operating: 565W
Sleep Mode: 9.5W
Ready: 65W
Off: 0.04W

Dimensions and Weight
Size with carton
602(W) x 534(D) x 565(H) mm
Weight with carton
27.4 KG
Size without carton
410(W) x 483(D) x 410(H) mm
Weight without carton
18.8 KG



Ideal for high quality booklet printing



Easy-to-use navigation screen



Automatic 2-sided print and copy as a standard

L8000 Business Colour Laser Printer Series

These reliable, connected machines give flawless colour quality prints. They help improve productivity for small to medium sized businesses with their fast speeds and low running costs.

Perfect for

- Printing up to 2,000 pages per month
- Sharing with up to 5 users
- A4 print
- Printing professional customer facing colour document
- Printing from a range of mobile/tablet devices
- Printing from cloud based services
- Saving money with low operating costs

Supplies

Standard Yield Supplies
Black Toner (TN-321BK) 2,500 pages
Cyan Toner (TN-321C) 1,500 pages
Magenta Toner (TN-321M) 1,500 pages
Yellow Toner (TN-321Y) 1,500 pages
High Yield Supplies
Black Toner (TN-326BK) 4,000 pages
Cyan Toner (TN-326C) 3,500 pages
Magenta Toner (TN-326M) 3,500 pages
Yellow Toner (TN-326Y) 3,500 pages
Super High Yield Toners *
Black Toner (TN-329BK) 6,000 pages
Cyan Toner (TN-329C) 6,000 pages
Magenta Toner (TN-329M) 6,000 pages
Yellow Toner (TN-329Y) 6,000 pages
Drum Unit
DR-321CL - 25,000 pages
Belt Unit
BU-320CL - 50,000 pages
Waste Toner Box
WT-320CL - 50,000 pages
Lower Tray
LT-320CL - 500 sheets

What's in the box

2,500 Page Black Toner Cartridge, 1,500 Page Cyan, Magenta and Yellow Toner Cartridges, Drum Unit, Belt Unit, Waste Toner, Power Supply Cord, CD-ROM, Quick Set-up Guide, Driver Software for Windows & MAC.

* Only available for the HL-L8350CDW

Range Specification

Print Speed
28ppm colour & mono
Paper Input
Standard tray - 250 sheets up to A4
Multi-purpose tray - 50 sheets up to A4
Optional tray - 500 sheets up to A4
Paper Output
150 sheets
Media Weights
Standard tray - 60 - 105g/m2
Multi-purpose tray - 60 - 163g/m2
Media Sizes: Standard Tray
A4, A5, A6, letter
Media Sizes: Manual Feed Slot
Width: 76.2mm to 215.9mm
Length: 116mm to 355.6mm
Display
2 line x 16 character backlit LCD
2-Sided Print
Automatic 2-sided print
Memory Capacity
128 MB
Print Resolution
2,400 x 600dpi
Connectivity
USB
Wired network
Printer Language
PCL6, BR-Script3
(Postscript®3TM Language Emulation)
Dimensions and Weight
Size with carton
600(W) x 524(D) x 513(H) mm
Weight with carton
25.5 KG
Size without carton
410(W) x 486(D) x 313(H) mm
Weight without carton
21.9 KG

Model Specific Specification



HL-L8250CDN

Type
Print
Power Consumption
Operating: 520W
Sleep Mode: 7.5W
Ready: 65W
Off: 0.04W



HL-L8350CDW

Type
Print
Connectivity
Wireless network
Power Consumption
Operating: 540W
Sleep Mode: 7.5W
Ready: 65W
Off: 0.04W



Separate toner cartridges, drum unit and belt unit reduces costs



Front and rear manual feed slot suitable for various media sizes



Automatic 2-sided print as standard

L8000 Business Colour Laser All-in-One Series

These reliable, multi-function machines give flawless colour quality outputs. They help improve business productivity with their fast speeds, great connectivity and low running costs.

Perfect for

- Printing up to 2,000 pages per month
- Sharing with up to 5 users
- A4 print, copy, scan, fax*
- Printing professional customer facing colour documents
- Printing from/scanning to a range of mobile/tablet devices
- Printing from/scanning to cloud based services
- Creating impactful documents and marketing materials
- High speed and superior performance
- Brother Solutions Interface

Supplies

Standard Yield Supplies

- Black Toner (TN-321BK) 2,500 pages
- Cyan Toner (TN-321C) 1,500 pages
- Magenta Toner (TN-321M) 1,500 pages
- Yellow Toner (TN-321Y) 1,500 pages

High Yield Supplies

- Black Toner (TN-326BK) 4,000 pages
- Cyan Toner (TN-326C) 3,500 pages
- Magenta Toner (TN-326M) 3,500 pages
- Yellow Toner (TN-326Y) 3,500 pages

Super High Yield Toners

- Black Toner (TN-329BK) 6,000 pages
- Cyan Toner (TN-329C) 6,000 pages
- Magenta Toner (TN-329M) 6,000 pages
- Yellow Toner (TN-329Y) 6,000 pages

Drum Unit

DR-321CL - 25,000 pages

Belt Unit

BU-320CL - 50,000 pages

Waste Toner Box

WT-320CL - 50,000 pages

Lower Tray

LT-320CL - 500 sheets

What's in the box

2,500 Page Black Toner Cartridge, 1,000 Page Cyan, Magenta and Yellow Toner Cartridges, Drum Unit, Waste Toner Box, Power Supply Cord, CD-ROM, Quick Set-up Guide, Driver Software for Windows & MAC.

* Fax available on MFC models only

** Not applicable on DCP-L8400CDN

Range Specification

Paper Input

- Standard tray - 250 sheets up to A4
- Multi-purpose tray - 50 sheets up to A4
- Optional tray - 500 sheets

Paper Output

150 sheets

Media Weights

- Standard tray - 60 - 105g/m2
- Multi-purpose tray - 60 - 163g/m2

Media Sizes: Standard Tray

A4, A5, A6, letter

Media Sizes: Manual Feed Slot

Width: 76.2mm to 215.9mm

Length: 116mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Memory Capacity

256 MB

Print Resolution

2,400 x 600dpi

Connectivity

USB

Wired network

Optical Resolution (Scan)

1,200 x 2,400dpi

Scan Resolution from ADF

1,200 x 600dpi

Copy Speed

28cpm colour & mono

Printer Language

PCL6, BR-Script3 (Postscript®3TM Language Emulation)

Power Consumption

Operating: 565W

Sleep Mode: 9.5W

Ready: 65W

Off: 0.04W

Model Specific Specification



DCP-L8400CDN

Type

Print, copy, scan

Display

9.3cm colour touchscreen

Print Speed

28ppm colour & mono

Automatic Document Feeder

35 sheets

Dimensions and Weight

Size with carton 637(W) x 545(D) x 649(H) mm

Weight with carton 33.8 KG

Size without carton 410(W) x 503(D) x 492(H) mm

Weight without carton 29 KG



DCP-L8450CDW

Type

Print, copy, scan

Connectivity

Wireless network

Display

12.3cm colour touchscreen

Print Speed

30ppm colour & mono

Automatic Document Feeder

50 Sheets

2-Sided Scan

Automatic 2-sided scan

2-Sided Copy

Automatic 2-sided copy


Dimensions and Weight

Size with carton 660(W) x 625(D) x 698(H) mm

Weight with carton 35.2 KG

Size without carton 490(W) x 526(D) x 530(H) mm

Weight without carton 30.2 KG



MFC-L8650CDW

Type

Print, copy, scan, fax

Connectivity

Wireless network

Display

9.3cm colour touchscreen

Print Speed

28ppm colour & mono

Automatic Document Feeder

35 sheets

2-Sided Scan

Automatic 2-sided scan

2-Sided Copy

Automatic 2-sided copy

Fax Modem

33,600 BPS

2-Sided Fax

Automatic 2-sided fax

Dimensions and Weight

Size with carton 637(W) x 545(D) x 649(H) mm

Weight with carton 35.2 KG

Size without carton 410(W) x 503(D) x 492(H) mm

Weight without carton 30.4 KG



MFC-L8850CDW

Type

Print, copy, scan, fax

Connectivity

Wireless network

Display

12.3cm colour touchscreen

Print Speed

30ppm colour & mono

Automatic Document Feeder

50 sheets

2-Sided Scan

Automatic 2-sided scan

2-Sided Copy

Automatic 2-sided copy

Fax Modem

33,600 BPS

2-Sided Fax

Automatic 2-sided fax

Dimensions and Weight

Size with carton 637(W) x 545(D) x 649(H) mm

Weight with carton 35.2 KG

Size without carton 410(W) x 503(D) x 492(H) mm

Weight without carton 30.4 KG



Convenient duplex copying and scanning**



Print from/scan to USB



Ideal for producing high quality colour booklet prints

L9000 Business Colour Laser Series

Professional colour workgroup printer range for the larger office. Highly productive, it has print management options and our best total cost of ownership.

Perfect for

- Printing up to 5,000 pages per month
- Sharing with up to 10 users
- A4 print
- Printing professional customer facing colour documents
- Printing from a range of mobile/tablet devices
- Printing from cloud based services
- Businesses with high colour print requirements
- Saving money with low operating costs
- Creating impactful documents and marketing materials
- High speed and superior performance
- Brother Solutions Interface

Supplies

Standard Yield Supplies
Black Toner (TN-900BK) 6,000 pages
Cyan Toner (TN-900C) 6,000 pages
Magenta Toner (TN-900M) 6,000 pages
Yellow Toner (TN-900Y) 6,000 pages

Drum Unit
DR-321CL - 25,000 A4 pages

Belt Unit
BU-320CL - 50,000 pages

Waste Toner Box
WT-320CL - 50,000 pages

Lower Tray
LT-320CL - 500 sheets

What's in the box

6,000 Page Black, Cyan, Magenta and Yellow Toner Cartridges, Drum Unit, Belt Unit, Waste Toner, Power Supply Cord, CD-ROM, Quick Set-up Guide, Driver Software for Windows & MAC.



Separate toner cartridges, drum unit and belt unit reduces costs



Fast, high quality colour prints every time



Large paper capacity expandable to 800 sheets with additional lower tray

Range Specification

Paper Input

Standard tray - 250 sheets up to A4
Lower tray - 500 sheets up to A4
Multi-purpose tray - 50 sheets up to A4

Paper Output

150 sheets

Media Weights

Standard & optional trays - 60 -120g/m2
Multi-purpose tray - 60 -200g/m2

Media Sizes: Standard & Optional Tray

A4, A5, A6, letter

Media Sizes: Multi-Purpose Tray

Width: 76.2mm to 215.9mm

Length: 127mm to 355.6mm

2-Sided Print

Automatic 2-sided print

Print Resolution

2,400 x 600dpi

Connectivity

USB

Wireless network

Wired network

Print Languages

PCL6, BR-Script3 (PostScript®3TMLanguage Emulation), IBM ProprinterXL, Epson FX-850, PDF version1.7, XPS version 1.0

Model Specific Specification



HL-L9200CDWT

Type

Print

Display

4.5cm colour touchscreen

Print Speed

28ppm colour & mono

Memory Capacity

128 MB

Power Consumption

Operating: 540W

Sleep Mode: 8W

Ready: 65W

Off: 0.04W

Dimensions and Weight

Size with carton

810(W) x 597(D) x 887(H) mm

Weight with carton

39.5 KG

Size without carton

410(W) x 495(D) x 445(H) mm

Weight without carton

28.3 KG



MFC-L9550CDWT

Type

Print, copy, scan, fax

Display

12.3cm colour touchscreen

Connectivity

NFC

Print Speed

30ppm colour & mono

Memory Capacity

256 MB

Media Weights - ADF

64 - 90g/m2

Media Sizes - ADF

Width: 147.3mm to 215.9mm x

Length: 147.3mm to 355.6mm

Automatic Document Feeder

50 sheets

Optical Resolution (Scan)

1,200 x 2400dpi

ADF Optical Resolution (Scan)

1200 x 600 dpi

2-Sided Scan

Automatic 2-sided scan

Copier Speed

28cpm colour & mono

2-Sided Copy

Automatic 2-sided copy

Fax Modem

33,600 BPS

2-Sided Fax

Automatic 2-sided fax

Power Consumption

Operating: 565W

Sleep Mode: 10.5W

Ready: 65W

Off: 0.04W

Dimensions and Weight

Size with carton

599(W) x 526(D) x 659(H) mm

Weight with carton

22.9 KG

Size without carton

495(W) x 427(D) x 518(H) mm

Weight without carton

18.9 KG

Inkjet

Inkjet Printer Range

Compact, all-in-one inkjet printers that are ideal for home and business users looking to print and scan up to A3 documents.

	Home Inkjet Series	J4000 Home Smart Series
Target Audience	Home	Home office / Small office
Recommended No. of Users	Up to 3 Users	Up to 5 Users
Recommended Monthly Duty Cycle	Up to 500 pages	Up to 1,000 pages
All-in-One Models	DCP-J562DW MFC-J480DW MFC-J680DW MFC-J880DW	DCP-J4120DW MFC-J4420DW MFC-J4620DW

J5000 Business Smart Series	J6000 Pro-Business Smart Series
SMB	SMB
Up to 10 Users	Up to 10 Users
Up to 1,500 pages	Up to 1,500 pages
MFC-J5320DW MFC-J5620DW MFC-J5720DW	MFC-J6520DW MFC-J6720DW MFC-J6920DW



Home Inkjet Series

For professional quality colour printing, these easy-to-use A4 printers are the perfect fit for the needs of the growing home printer market.

Perfect for

- Printing up to 500 pages per month
- Sharing with up to 2 users
- Printing from/scanning to Brother cloud applications
- Printing from/scanning to a range of mobile/tablet devices
- Printing from/scanning to cloud services
- Printing: photos, greeting cards, school work, tickets and vouchers

Supplies

Standard Yield Supplies

Black (LC-221BK) 260 pages
Cyan (LC-221C) 260 pages
Magenta (LC-221M) 260 pages
Yellow (LC-221Y) 260 pages

High Yield Supplies

Black (LC-223BK) 550 pages
Cyan (LC-223C) 550 pages
Magenta (LC-223M) 550 pages
Yellow (LC-223Y) 550 pages

What's in the box

LC-221 Black, Cyan, Magenta and Yellow Ink Cartridges, Power Supply Cord, Driver Software, Quick Set-Up Guide. PC Interface Cable NOT included.

Range Specification

Paper Input

Standard tray - 100 sheets up to A4
Manual feed slot - 1 sheet up to A4
Photo tray - 20 sheets

Paper Output

50 sheets

Media Weights

Standard tray: 64 - 220g/m2
Manual feed slot: 64 - 300g/m2
2-sided: 64 - 105g/m2

Media Sizes: Standard Tray

A4, A5, A6, photo, envelope, letter

Media Sizes: Manual Feed Slot

A3, A4, A5, A6, photo, envelope, letter

Memory Capacity

128 MB

2-Sided Print

Automatic 2-sided print

Print Resolution

6,000 x 1,200dpi

Optical Resolution (Scan)

1,200 x 2,400dpi

Copier Speed

12/9cpm mono & colour

Printer Language

GDI

Connectivity

USB

Wireless network

Power Consumption

Operating: 19 W
Sleep Mode: 0.8 W
Ready: 3 W
Off : 0.2 W

Model Specific Specification



ENERGY STAR

Blue Angel

EUROPEAN ECOLABEL

Mac

Windows

Wi-Fi CERTIFIED

Apple AirPrint

Google Cloud Print Ready

DCP-J562DW

Type

Print, copy, scan

Display

6.8cm colour touchscreen

Print Speed

11/6ipm mono & colour

Dimensions and Weight

Size with carton

228(W) x 477(D) x 457(H) mm

Weight with carton

8.8 KG

Size without carton

400(W) x 341(D) x 151(H) mm

Weight without carton

7.2 KG



ENERGY STAR

Blue Angel

EUROPEAN ECOLABEL

Mac

Windows

Wi-Fi CERTIFIED

Apple AirPrint

Google Cloud Print Ready

MFC-J480DW

Type

Print, copy, scan, fax

Display

4.5cm colour touchscreen

Print Speed

11/6ipm mono & colour

Automatic Document Feeder

20 sheets

Fax Modem

14,400 BPS

Dimensions and Weight

Size with carton

249(W) x 477(D) x 456(H) mm

Weight with carton

10.1 KG

Size without carton

400(W) x 341(D) x 172(H) mm

Weight without carton

8.3 KG



ENERGY STAR

Blue Angel

EUROPEAN ECOLABEL

Mac

Windows

Wi-Fi CERTIFIED

Apple AirPrint

Google Cloud Print Ready

MFC-J680DW

Type

Print, copy, scan, fax

Display

6.8cm colour touchscreen

Print Speed

12/10ipm mono & colour

Automatic Document Feeder

20 sheets

Fax Modem

14,400 BPS

Dimensions and Weight

Size with carton

249(W) x 477(D) x 456(H) mm

Weight with carton

10.1 KG

Size without carton

400(W) x 341(D) x 172(H) mm

Weight without carton

8.3 KG



ENERGY STAR

Blue Angel

EUROPEAN ECOLABEL

Mac

Windows

Wi-Fi CERTIFIED

Apple AirPrint

Google Cloud Print Ready

MFC-J880DW

Type

Print, copy, scan, fax

Display

6.8cm colour touchscreen

Print Speed

12/10ipm mono & colour

Connectivity

Wired network
NFC

Automatic Document Feeder

20 sheets

Fax modem

14,400 BPS

Dimensions and Weight

Size with carton

249(W) x 477(D) x 456(H) mm

Weight with carton

11.2 KG

Size without carton

400(W) x 341(D) x 172(H) mm

Weight without carton

8.3 KG

Convenient front-loading supplies

Paper tray adjustable for photo printing

Easy-to-navigate touchscreen

48

49

J4000

Home Smart Inkjet Series

Perfect for home use, these compact A4 colour printers give you more, with the ability to also print A3.

Perfect for

- Printing up to 1,000 pages per month
- Sharing with up to 3 users
- A4 print, copy and scan
- Occasional A3 printing via manual feed slot
- Print from/scan to USB Flash Drive or SD Card
- Printing from/scanning to Brother cloud applications
- Printing from/scanning to a range of mobile/tablet devices
- Printing: photos, greeting cards, school work, large spreadsheets, tickets and vouchers

Supplies

Standard Yield Supplies

Black (LC-223BK) 550 pages
Cyan (LC-223C) 550 pages
Magenta (LC-223M) 550 pages
Yellow (LC-223Y) 550 pages

High Yield Supplies

Black (LC-227XLBK) 1,200 pages
Cyan (LC-225XLC) 1,200 pages
Magenta (LC-225XLM) 1,200 pages
Yellow (LC-225XLY) 1,200 pages

What's in the box

LC-223 Black, Cyan, Magenta and Yellow Ink Cartridges, Power Supply Cord, Driver Software for Windows & Mac, Quick Set-Up Guide, Telephone Line Cord. PC Interface Cable NOT included.

Range Specification

Paper Input

Standard tray - 150 sheets up to A4
Manual feed slot - 1 sheet up to A3

Paper Output

50 sheets

Media Weights

Standard tray: 64 - 220g/m2
Manual feed slot: 64 - 220g/m2
2-sided: 64 - 120g/m2

Media Sizes: Standard Tray

A4, A5, A6, photo, envelope, letter

Media Sizes: Manual Feed Slot

A3, A4, A5, A6, photo, envelope, letter

Memory Capacity

128 MB

2-Sided Print

Automatic 2-sided print

Print Resolution

6,000 x 1,200dpi

Optical Resolution (Scan)

2,400 x 2,400dpi

Copier Speed

12/9cpm mono & colour

Printer Language

GDI

Connectivity

USB

Wireless network

Power Consumption

Copying: 23 W

Sleep Mode: 1.3 W

Ready: 5 W

Off: 0.04 W

Model Specific Specification



DCP-J4120DW

Type

Print, copy, scan

Display

6.8cm colour touchscreen

Print Speed

20/18ipm mono & colour

Dimensions and Weight

Size with carton

569(W) x 242(D) x 398(H) mm

Weight with carton

10.1 KG

Size without carton

480(W) x 290(D) x 163(H) mm

Weight without carton

8.1 KG



MFC-J4420DW

Type

Print, copy, scan, fax

Display

6.8cm colour touchscreen

Print Speed

20/18ipm mono & colour

Automatic Document Feeder

20 sheets

Dimensions and Weight

Size with carton

569(W) x 265(D) x 398(H) mm

Weight with carton

11.9 KG

Size without carton

480(W) x 290(D) x 188(H) mm

Weight without carton

9.5 KG



MFC-J4620DW

Type

Print, copy, scan, fax

Display

9.3cm colour touchscreen

Print Speed

22/20ipm mono & colour

Connectivity

Wired network

NFC

Automatic Document Feeder

20 sheets

Dimensions and Weight

Size with carton

569(W) x 265(D) x 398(H) mm

Weight with carton

11.9 KG

Size without carton

480(W) x 290(D) x 188(H) mm

Weight without carton

9.5 KG



Print from USB
Flash Drive or SD card



Convenient front
loading supplies



A3 manual feed slot for
occasional A3 printing

J5000 Business Smart Inkjet Series

Compact, A4 sized devices with the ability to print full colour A3. The Business Smart range is ideal for any growing business.

Perfect for

- Printing up to 1,500 pages per month
- Sharing with up to 5 users
- Both A4 and A3 print, copy and scan straight from the tray
- Expandable paper tray up to A3
- Printing from/scanning to Brother cloud applications
- Printing from/scanning to a range of mobile/tablet devices
- Printing: charts, text documents, large spreadsheets

Supplies

Standard Yield Supplies

Black (LC-223BK) 550 pages
Cyan (LC-223C) 550 pages
Magenta (LC-223M) 550 pages
Yellow (LC-223Y) 550 pages

High Yield Supplies

Black (LC-229XLBK) 2,400 pages
Cyan (LC-225XLC) 1,200 pages
Magenta (LC-225XLM) 1,200 pages
Yellow (LC-225XLY) 1,200 pages

What's in the box

LC-223 Black, Cyan, Magenta and Yellow Ink Cartridges, Power Supply Cord, Driver Software for Windows & Mac, Quick Set-Up Guide, Fax Line Cord. PC Interface Cable NOT included.

Range Specification

Paper Input

Standard tray - 250 sheets up to A3
Manual feed slot - 1 sheet up to A3

Paper Output

50 sheets

Media Weights

Standard tray: 64 - 220g/m2
Manual feed slot: 64 - 300g/m2
2-sided: 64 - 120g/m2

Media Sizes: Standard Tray

A3, A4, A5, A6, photo, envelope, letter

Media Sizes: Manual Feed Slot

A3, A4, A5, A6, photo, envelope, letter

Memory Capacity

128 MB

2-Sided Print

Automatic 2-sided print

Print Resolution

6,000 x 1,200dpi

Print Speed

22/20ipm mono/colour

Optical Resolution (Scan)

1,200 x 2,400dpi

Copier Speed

12/9cpm mono & colour

Printer Language

GDI

Connectivity

USB

Wireless network

Wired network

Power Consumption

Copying: 32 W

Sleep Mode: 1.8 W

Ready: 5.5 W

Off : 0.04 W

Model Specific Specification



MFC-J5320DW

Type

Print, copy, scan, fax

Display

6.8cm colour touchscreen

Automatic Document Feeder

35 sheet

Fax Modem

14,400 BPS

Dimensions and Weight

Size with carton

368(W) x 589(D) x 362(H) mm

Weight with carton

13.4 KG

Size without carton

490(W) x 290(D) x 240(H) mm

Weight without carton

10.8 KG



MFC-J5620DW

Type

Print, copy, scan, fax

Display

9.3cm colour touchscreen

Automatic Document Feeder

35 sheet

Fax Modem

33,600 BPS

Dimensions and Weight

Size with carton

589(W) x 425(D) x 362(H) mm

Weight with carton

14.7 KG

Size without carton

490(W) x 345(D) x 240(H) mm

Weight without carton

11.7 KG



MFC-J5720DW

Type

Print, copy, scan, fax

Display

9.3cm colour touchscreen

Automatic Document Feeder

50 sheet

Paper Input

Lower tray - 250 sheets up to A3

Fax Modem

33,600 BPS

Dimensions and Weight

Size with carton

589(W) x 425(D) x 429(H) mm

Weight with carton

17.8 KG

Size without carton

490(W) x 345(D) x 308(H) mm

Weight without carton

14.5 KG



Print A3
straight from the tray



Print from
USB Flash Drive or SD card



Scan to
mobile/tablet devices

J6000

Pro-Business

Smart Inkjet Series

The Pro-Business Smart range is perfect for the professional market. Compact, with low running costs and A3 flatbed scan capability.

Perfect for

- Printing up to 1,500 pages per month
- Sharing with up to 5 users
- Printing, copying and scanning A3 documents straight from the tray
- Printing from/scanning to Brother cloud applications
- Printing from/scanning to a range of mobile/tablet devices
- Printing: charts, blueprints, large spreadsheets

Supplies

Standard Yield Supplies

Black (LC-123BK) 600 pages
Cyan (LC-123C) 600 pages
Magenta (LC-123M) 600 pages
Yellow (LC-123Y) 600 pages

High Yield Supplies

Black (LC-129BK) 2,400 pages
Cyan (LC-125C) 1,200 pages
Magenta (LC-125M) 1,200 pages
Yellow (LC-125Y) 1,200 pages

What's in the box

LC-123 Black, Cyan, Magenta and Yellow Ink Cartridges, Power Supply Cord, Driver Software for Windows & Mac, Quick Set-Up Guide, Telephone Line Cord. PC Interface Cable NOT included.

Range Specification

Paper Input

Standard tray - 250 sheets up to A3
Manual feed slot - 1 sheet up to A3

Paper Output

50 sheets

Automatic Document Feeder

35 sheets

Media Weights

Standard tray: 64 - 220 g/m2
Manual feed slot: 64 - 220 g/m2
2-sided: 64 - 120g/m2

Media Sizes: Standard Tray

A3, A4, A5, A6, photo, envelope, letter

Media Sizes: Manual Feed Slot

A3, A4, A5, A6, photo, envelope, letter

2-Sided Print

Automatic 2-sided print up to A3

Print Resolution

6,000 x 1,200dpi

Print Speed

22/20ipm mono & colour

Optical Resolution (Scan)

2,400 x 2,400dpi

Copier Speed

12/9ipm mono & colour

Printer Language

GDI

Fax Modem

33,600 BPS

Connectivity

USB

Wireless network

Wired network

Power Consumption

Copying: 23 W

Sleep Mode: 1.8 W

Ready: 5.5 W

Off: 0.04 W

Model Specific Specification



MFC-J6520DW

Type

Print, copy, scan, fax

Display

6.8cm colour touchscreen

Memory Capacity

128 MB

Dimensions and Weight

Size with carton

657(W) x 521(D) x 350(H) mm

Weight with carton

14.5 KG

Size without carton

553(W) x 433(D) x 247(H) mm

Weight without carton

14.5 KG



MFC-J6720DW

Type

Print, copy, scan, fax

Display

6.8cm colour touchscreen

Memory Capacity

256 MB

Paper Input

Lower tray: 250 sheets up to A3

Media Weights

Lower tray: 64 - 105g/m2

Dimensions and Weight

Size with carton

657(W) x 521(D) x 414(H) mm

Weight with carton

20.8 KG

Size without carton

553(W) x 433(D) x 310(H) mm

Weight without carton

16.7 KG



MFC-J6920DW

Type

Print, copy, scan, fax

Display

9.3cm colour touchscreen

Memory Capacity

256 MB

Paper Input

Lower tray - 250 sheets up to A3

Media Weights

Lower tray: 64 - 105 g/m2

Connectivity

NFC

Dimensions and Weight

Size with carton

657(W) x 521(D) x 414(H) mm

Weight with carton

20.8 KG

Size without carton

553(W) x 433(D) x 310(H) mm

Weight without carton

16.7 KG



A3 print straight from the tray



A3 scan capability from flatbed



Print from/scan to USB Flash Drive or SD card

Portable

Portable Printer Range

Portable print helps your customers increase productivity and improve responsiveness. This range offers flexible solutions for a wide range of general and specialist portable print requirements.

	PJ Series	MW Series
Applications	Car / Portable	On-Person Cut Sheet
Media Size Supported	A4/A5	A6/A7
Printer Models	PJ-722 PJ-723 PJ-762 PJ-763 PJ-763MFi PJ-773	MW-145BT MW-260A
Media Supported	Direct thermal paper (cut sheet/roll/fanfold)	Direct thermal (cut sheet)

RJ Series	TD Series
On-Person Printing & Labelling	Desktop Printing & Labelling
Up to 4 inch	Up to 4 inch
RJ-3050 RJ-3150 RJ-4030 RJ-4040	TD-2020 TD-2120N TD-2130N TD-2130NHC TD-4000 TD-4100N
Label or paper	Label, paper, wristbands*

* TD-2020, TD-2120N, TD-2130N and TD-2130NHC only



PJ-700 Portable Printer Series

The smallest, most advanced A4/A5 portable thermal printer with all-inclusive mobile device support and performance.

Perfect for

- Printing on the move
- Printing up to 600 pages a day with optional battery
- Portability - fits comfortably in your briefcase or computer bag
- Professional, high quality A4 print outs
- Printing in variable temperatures
- Printing from mobile devices direct to the machine using Bluetooth* connection
- Emergency services, field sales, field service and logistics

Supplies

Cut-Sheet Paper
PA-C-411(A4 sized, 100 sheets)
Roll Paper (6 rolls per box)
PA-R-411 (A4 width/100 sheets at A4 length)
Paper Handling
PA-RH-600 (Paper roll holder)
PA-PG-600 (Paper guide) (PJ-722/723)
PA-PG-001 (Paper guide) (PJ-762/763/763MFi/773)
Batteries
PA-BT-002 (Lithium-ion battery)
Carry Case
PA-CC-500 (Protective carry case)
PA-RC-001 (Roll printer case) (IP54 rated)
PA-RB-001 (Rubber protective cover)
PA-RC-600 (Roll printer case) (PJ-722/723)
AC Mains Adaptor
PA-AD-600EU2-pin EU plug
PA-AD-600UK3-pin UK plug
Car Power Adaptor
PA-CD-600CG (Cigarette lighter plug) (15v)
PA-CD-600WR (Permanently wired) (15v)
Vehicle Mount
PA-CM-500









What's in the box

USB Cable, CD-ROM, User Guide, Insertion Sheets

Range Specification

Paper Input/Output
1 sheet
Paper Size
A4, A5
Connectivity
USB
Number of Printable Sheets
Approximately 600 sheets (Li-ion battery)**
Print Speed
8ppm mono
Dimensions and Weight
Size with carton
70(W) x 305(D) x 165(H) mm
Weight with carton
0.71 KG
Size without carton
255(W) x 55(D) x 30(H) mm
Weight without carton
0.48 KG

Model Specific Specification

	PJ-722 / PJ-723
	Print Resolution (PJ-722) 203 x 200dpi Print Resolution (PJ-723) 300 x 300dpi
	PJ-762 / PJ-763
	Connectivity Bluetooth (Android/Windows) Print Resolution (PJ-762) 203 x 200dpi Print Resolution (PJ-763) 300 x 300dpi
	PJ-763MFi
	Connectivity Bluetooth (Windows/Android/Apple) Print Resolution 300 x 300dpi
	PJ-773
	Connectivity Wireless network Print Resolution 300 x 300dpi

* Bluetooth only available on PJ-762, PJ-763 and PJ-763MFi
** Optional extra



Compact design for any location



Truly portable for any requirement



Produces clear concise reports for professional results

MW Slimline Portable Printer Series

These portable, compact and lightweight printers are perfect for printing on the go and can be easily carried.

Perfect for

- Printing on the move as it fits in the palm of your hand
- Printing A6/A7 print outs
- Field sales and service workers because of their slim, lightweight and compact design
- On-body printing via the MW-145BT
- Vehicle printing via the MW-260A
- Printing linear and 2D barcodes
- Connecting to mobile devices via Bluetooth
- Producing instant high quality print outs

Supplies

For MW- 145BT
Paper
C11 (A7 thermal, 50 sheets)
C12 (A7 thermal, 50 sheets)
C51*2 (A7 carbon copy, 30 sheets)
Optional accessories
SD-100 (2 way desktop/laptop stand)
BT-100 (Rechargeable lithium-ion battery)
PG-100 (Paper guide)
PCS-100 (Printer case)
For MW-260A
Paper
C211 (A6 thermal, 50 sheets)
C212 (A6 thermal, fade resistant, 50 sheets)
C251 (A6 Carbon copy, 30 sheets)
Optional accessories
PG-200 (Paper guide)
BT-200 (Rechargeable lithium-ion battery)

What's in the box

AC Adaptor, USB Cable, CD-ROM, Quick Setup Guide, C11 Paper *, C211 Paper**, Rechargeable Lithium-ion Battery (BT-200)**

Range Specification

Connectivity
USB
Bluetooth
IrDA
Print Resolution
300dpi

Model Specific Specification



MW-145BT
Connectivity
Serial
Print Speed
4ppm mono
Media Size
A7

Dimensions and Weight
Size with carton
275(W) x 160(D) x 62(H) mm
Weight with carton
0.62 KG
Size without carton
100(W) x 160(D) x 17.5(H) mm
Weight without carton
0.3 KG



MW-260A
Print Speed
3ppm mono
Media Size
A6

Dimensions and Weight
Size with carton
332(W) x 204(D) x 62(H) mm
Weight with carton
0.71 KG
Size without carton
130(W) x 210(D) x 105(H) mm
Weight without carton
0.52 KG

* MW-145BT only
** MW-260A only



Optional dashboard mounted case



Ideal for printing tickets on the move



Lightweight, durable and compact

RJ-3000 Rugged Portable Printer Series

Providing the perfect on-person device for mobile workers needing a 2” or 3” printing solution.

Perfect for

- Printing on the move in any conditions
- Printing from mobile devices direct to the machine using Bluetooth or wireless connection
- Printing linear and 2D barcodes
- Printing: customer invoices, on-the-spot notices or fines, shipping labels and statements of work.

Supplies

Rechargeable Lithium-ion Battery

PA-BT-001-A 7.2V*
PA-BT-001-B 7.2V**

Shoulder Strap

PA-SS-4000

AC Adaptor

PA-CR-001 (Single cradle)
PA-BC-001 (Single battery charger)
PA-AD-600 (AC adaptor)

Car Adaptor

PA-CD-600CG (Cigarette lighter plug)
PA-CD-600WR (Permanently wired)

RD Roll Type

RD-PO8E5 (Receipt)
RD-PO9E1 (Label)*

What’s in the box

Belt Clip, Lithium-ion Battery (PA-BT-001-A)*, (PA-BT-001-B)**, Documentation, Button Type Battery*

* RJ-3150 only

** RJ-3050 only

Range Specification

Maximum Print Width

72mm

Connectivity

USB
Bluetooth
Wireless Network

Print Speed

5ips mono

Print Resolution

203dpi

Printer Command

Raster
ESC/P
P-touch template
ZPL II emulation
CPCL emulation

Model Specific Specification



RJ-3050

Durability

1.2m drop tested, IP54 rating

Dimensions and Weight

Size with carton

230(W) x 185(D) x 135(H) mm

Weight with carton

0.75 KG

Size without carton

112(W) x 180(D) x 80(H) mm

Weight without carton

0.75 KG



RJ-3150

Durability

1.8m drop tested, IP54 rating

Display

3.3” colour LCD

Dimensions and Weight

Size with carton

230(W) x 185(D) x 135(H) mm

Weight with carton

0.84 KG

Size without carton

116(W) x 184(D) x 82(H) mm

Weight without carton

0.75 KG



Suitable for the retail sector for producing barcodes



Compatible with many wireless devices



Ideal for printing receipts on the go

RJ-4000 Rugged Portable Printer Series

The tough printing solution to support mobile workers in the field.

Perfect for

- Printing on the move in any conditions
- Use on the move with shoulder strap/belt clip or in vehicle with car mount.
- Printing from mobile devices direct to the machine using Bluetooth or wireless connection
- Printing linear and 2D barcodes
- Printing: customer invoices, on-the-spot notices or fines, shipping labels and statements of work.

Supplies

Rechargeable Lithium-ion Battery

PA-BT-4000

Shoulder Strap

PA-SS-4000

Carry Case

PA-WC-4000 (Environmental case)

AC Adaptor

PA-AD-600UK (AC adaptor)

Car Mount

PA-CM-4000

Magnetic Card Reader

PA-MCR-4000

Car Adaptor

PA-CD-600CG (Cigarette lighter plug)

PA-CD-600WR (Wired type)

Serial Cable

CoRC-120

RD roll type

RD-M01E5 (Receipt) (4")

RD-M03E1 (Label)

What's in the box

Printer Belt Clip, CD (Printer Driver, P-touch Editor 5.0, P-touch Transfer Manager 2.1, User's Guide, Software User's Guide) Quick Reference Guide, Product Safety Guide.

Range Specification

Maximum Print Width

104mm

Connectivity

USB

Memory

32 MB Ram

16 MB Flash

Print Speed

5ips mono

Printer Command

P-touch Template 2.0,

ZPLII emulation

Raster,

ESC/P

Durability

1.8m drop tested IP54 rating

Print Resolution

203dpi

Drop Protection

1.8 M

Dimensions and Weight

Size with carton

250(W) x 190(D) x 120(H) mm

Weight with carton

14.5 KG

Size without carton

162(W) x 176(D) x 77(H) mm

Weight without carton

0.91 KG

Model Specific Specification



RJ-4030

Connectivity

Bluetooth



RJ-4040

Connectivity

Wireless Network



Lightweight and rugged for use in industrial applications



Ideal for printing on the move in harsh conditions



Produces clear, concise labels for easy reading using barcode scanners

TD-2000 Compact Printer Series

Bridge the gap between desktop and mobile printing with the TD-2000 range of compact label printers.

Perfect for

- Healthcare - for general ward printing (portable solution with optional battery and base), printing specimen, dosage and pathology labels and wristbands
- Retail outlets - (portable solution with optional battery and base) for price mark down labels, point of sale, food labelling and occasional receipt printing
- Warehousing and logistics, travel and hospitality, manufacturing and inventory management

Supplies

Accessories only available for TD-2120N, TD-2130N & TD-2130NHC

Battery

PA-BT-4000LI (Lithium-ion battery)

PA-BB-001 (Battery base)

Touch Panel LCD

PA-TDU-001

Label Peeler*

PA-LP-001

Wireless LAN

PA-WI-001

Bluetooth Adaptor

PA-BI-001

RS-232C Adaptor

PA-SCA-001 (RJ25 to DB9M serial adaptor)

Die Cut Labels*

RD-S05E1 (1552 labels per roll each at 51 x 26mm in white)

Receipt Paper*

RD-S07E5 (continuous roll at 58 x 86mm)

What's in the box

AC Adaptor, USB Cable, Documentation, CD-ROM

* Not compatible for TD-2130NHC



Ideal for administering at the point of care



Retail price markdown and shelf edge labelling



Labelling specimen samples

Range Specification

Maximum Print Width

56mm (W) x 1m (L)

Connectivity

USB

Serial

Memory

6 MB

Print Speed

152.4mm per sec

Printer Command Language

P-touch Template 2.0

ZPLII emulation

ESC/P

Raster

Dimensions and Weight

Size with carton

283(W) x 181(D) x 226(H) mm

Weight with carton

2.70 KG

Size without carton

110(W) x 215(D) x 172(H) mm

Weight without carton

1.34 KG

Model Specific Specification



TD-2020

Print Resolution

203 x 200dpi



TD-2120N

Print Resolution

203 x 200dpi

Connectivity

Wired network

USB Host



TD-2130N

Resolution

300 x 300dpi

Connectivity

Wired network

USB Host



TD-2130NHC

Resolution

300 x 300dpi

Connectivity

Wired network

USB Host

Media Type

PDC wristbands and labels

TD-4000 Industrial Portable Printer Series

The industrial labeller for when size matters.

Perfect for

- 1D and 2D barcode labels for products and packing
- Address and shipping labels
- Keeping shelving and storage bins organised

Supplies

Continuous Label

RD-S01E2 (102mm)

Die-Cut Labels

RD-S02E1 (102mm x 152mm)

Die-Cut Labels

RD-S03E1 (102mm x 50mm)

Die-Cut Labels

RD-S04E1 (76mm x 26mm)

Die-Cut Labels

RD-S05E1 (51mm x 26mm)

What's in the box

102mm Continuous Length Label (2m), 51mm x 26mm Die Cut Label (60 labels), AC Adaptor, USB Cable, CD-ROM, User Guide

Range Specification

Maximum Print Width

98.6mm

Connectivity

USB

Serial

Print Speed

110mm per sec

Print Resolution

300dpi

Cutter

Auto/Manual

Printer Command Language

Raster mode

ESC/P mode

P-touch template mode

Dimensions and Weight

Size with carton

360(W) x 229(D) x 248(H) mm

Weight with carton

2.40 KG

Size without carton

173(W) x 229(D) x 156(H) mm

Weight without carton

0.18 KG

Model Specific Specification



TD-4000



TD-4100N

Connectivity

Wired network



Clear address labelling



Label boxes with barcode information



Ideal for labelling around the warehouse

Scanner

Scanner Range

Brother offers a comprehensive range of scanners to suit every home or business, from portable scanners for people on the go, to fast, high volume scanners for those needing to get through some serious paperwork.

	Portable Series	Compact Series	Desktop Series
Application	Mobile / Field Workers	Home Office / Small Office	SMB
Recommended Daily Usage	Up to 100 scans per day	Up to 500 scans per day	Up to 1,500 scans per day
Models	DS-620 DS-720D DS-820W DS-920DW	ADS-1100W ADS-1600W	ADS-2100e

Networked Desktop Series	Professional Series	Professional Flatbed Series
SMB	SMB	Medium / Large Businesses
Up to 5,000 scans per day	Up to 6,000 scans per day	Up to 6,000 scans per day
ADS-2600We ADS-2400N ADS-2800W ADS-3000N ADS-3600W	PDS-5000 PDS-6000	PDS-5000F PDS-6000F



Portable Document Scanners

Ideal for those on the move. This range of ultra lightweight and portable scanners allows you to scan anywhere and everywhere.

Perfect for

- Scanning documents
- Scanning up to 100 pages per day
- 1 user
- Scanning on the move
- Scanning business cards straight into your contact list
- Scanning directly to a smartphone or tablet*

Supplies

Pick-up Roller, Reverse Roller, Separation Roller
PFK-P001 (Life - 200,000 sheets A4 or 5 years)
A3 Carrier Sheet
CS-P001 (Life - 2,000 times)

What's in the box

USB Cable, Quick Set-up Guide, Receipt Carrier Sheet, Calibration Sheet, DVD-ROM, Product Registration Sheet/ Warranty Card, Cleaning Cloth, Soft Carrying Bag, 4 GB SD Memory Card*

* DS-820W and DS-920DW only

Range Specification

Scan Speed

7.5ppm mono/colour

Connectivity

USB

Paper Input / Output

1 sheet

Paper Size

Width 55 - 215.9mm

Length 90 - 812.8mm

Paper Weight

60 - 105gsm

Optical Resolution (Scan)

600 x 600dpi

Power Consumption

Operating: 2.5 W

Ready: 1 W

Model Specific Specification



DS-620

Dimensions and Weight

Size with carton

354(W) x 254(D) x 61.5(H) mm

Weight with carton

0.98 KG

Size without carton

290.5(W) x 52.5(D) x 36.7(H) mm

Weight without carton

0.4 KG



DS-720D

2-Sided Scan Speed

5ppm mono/colour

2-Sided Scan

Automatic 2-sided scan

Dimensions and Weight

Size with carton

354(W) x 254(D) x 70(H) mm

Weight with carton

1.18 KG

Size without carton

290.5(W) x 66.9(D) x 40.7(H) mm

Weight without carton

0.5 KG



DS-820W

Connectivity

Wireless network

Memory Card

4 GB SD card included

Memory Card Limit

2 GB to 32 GB

Power

Lithium battery

Dimensions and Weight

Size with carton

354(W) x 254(D) x 70(H) mm

Weight with carton


1.13 KG

Size without carton

308(W) x 52.5(D) x 40.7(H) mm

Weight without carton

0.44 KG



DS-920DW

Connectivity

Wireless network

Memory Card

4 GB SD card included

Memory Card Limit

2 GB to 32 GB

2-Sided Scan Speed

5ppm mono/colour

2-Sided Scan

Automatic 2-sided scan

Power

Lithium battery

Dimensions and Weight

Size with carton

354(W) x 254(D) x 70(H) mm

Weight with carton

1.5 KG

Size without carton

308(W) x 66.9(D) x 41.2(H) mm

Weight without carton

0.53 KG



Perfect for scanning business cards straight to contact lists



Portable scanning without PC connection*



Scan direct to SD card*

Compact Document Scanners

This range of scanners is perfect for those who are space conscious and/or plan on using the device in multiple locations.

Perfect for

- Frequently scanning documents
- Scanning up to 500 pages per day
- Sharing with up to 3 users
- Where space is at a premium
- Sharing scanning tasks within the office via a wireless network
- Scanning directly to email, email server, cloud services, network folders and more without the need for a PC connection*

Supplies

- Separation Pad for ADF**
SP-C0001 (Life - 10,000 sheets)
- Pickup Roller for ADF**
RUR-C001 (Life - 50,000 sheets)

What's in the box

Power Supply Cord, USB Cable, Driver Software for Windows & MAC, Quick Set-up Guide, User's Guide, Product Safety Guide, Carrier Sheet, Plastic Card Carrier Sheet*

* ADS-1600W only

Range Specification

Connectivity

- USB
- Wireless network

Memory

128 MB

Paper Input / Output

20 sheets

Paper Size

- Width 51 - 215.9mm
- Length 70 - 863mm

2-Sided Scan

Automatic 2-sided scan

Optical Resolution (Scan)

600 x 600dpi

Power Consumption

- Operating: 14 W
- Sleep Mode: 1.5 W
- Ready: 4 W
- Off: 0.25 W

Model Specific Specification



ADS-1100W

Scan Speed

16ppm mono/colour

Dimensions and Weight

- Size with carton**
380(W) x 170(D) x 207(H) mm
- Weight with carton**
2.5 KG
- Size without carton**
285(W) x 103(D) x 84(H) mm
- Weight without carton**
1.5 KG



ADS-1600W

Scan Speed

18ppm mono/colour

Display

6.8cm colour touchscreen

Dimensions and Weight

- Size with carton**
380(W) x 170(D) x 207(H) mm
- Weight with carton**
2.6 KG
- Size without carton**
285(W) x 103(D) x 84(H) mm
- Weight without carton**
1.6 KG



Scan to USB



Ability to scan business/plastic cards



6.8cm touchscreen for easy access*

Desktop Document Scanner

The ADS-2100e is ideal for those looking for a simple yet powerful desktop scanner to power through paperwork.

Perfect for

- Scanning documents regularly
- Scanning up to 1,500 pages per day
- Direct scanning to a PC via USB

Supplies

Separation Pad for ADF

SP-A0001 (Life - 50,000 sheets)

Pickup Roller for ADF

PUR-A0001 (Life - 50,000 sheets)

Plastic Card Carrier Sheet

CS-A001 (Life - 500 times)

A3 Carrier Sheet

CS-A3001 (Life - 500 times)

What's in the box

Power Supply Cord, USB Cable, User Guide, Driver Software for Windows® and Mac OS (DVD), Quick Setup Guide, Product Safety Guide, Carrier Sheet

ADS-2100e

Connectivity

USB 2.0

Paper Input / Output

50 sheets

Scan Speed

24ppm black & white/colour

Paper Size

Width 51 - 215.9mm

Length 70 - 863mm

Paper Weight

52g/m2 – 200g/m2

2-Sided Scan

Automatic 2-sided scan

Optical Resolution

600 x 600dpi

Memory Capacity

256 MB

Power Consumption

Operating: 18 W

Sleep Mode: 1.5 W

Ready: 4 W

Off: 0.3 W

Dimensions and Weight

Size with carton

383(W) x 291(D) x 285(H) mm

Weight with carton









5.7 KG

Size without carton

299(W) x 220(D) x 179(H) mm

Weight without carton

3.6 KG





Networked Desktop Document Scanner

The ADS-2600We is ideal for sharing scanning tasks via a wired or wireless network.

Perfect for

- Scanning documents regularly
- Scanning up to 1,500 pages per day
- Sharing scanning tasks within the office via a wired or wireless network
- Scanning directly to email, email server, cloud services, SharePoint® and more without the need for a PC connection
- Customising the LCD interface to scan directly into pre-existing software systems

Supplies

Separation Pad for ADF

SP-A0001 (Life - 50,000 sheets)

Pickup Roller for ADF

PUR-A0001 (Life - 50,000 sheets)

Plastic Card Carrier Sheet

CS-A001 (Life - 500 times)

A3 Carrier Sheet

CS-A3001 (Life - 500 times)

What's in the box

Power Supply Cord, USB Cable, User Guide, Driver Software for Windows® and Mac OS (DVD), Quick Setup Guide, Product Safety Guide, Carrier Sheet

ADS-2600We

Connectivity

USB 2.0

Wired network

Wireless network

Paper Input / Output

Up to 50 sheets

Scan Speed

24ppm black & white/colour

Display

9.3cm LCD touchscreen

Paper Size

Width 51 - 215.9mm

Length 70 - 863mm

Paper Weight

52g/m2 - 200g/m2

2-Sided Scan

Automatic 2-sided scan

Optical Resolution

600 x 600dpi

Memory Capacity

256 MB

Power Consumption

Operating: 20 W

Sleep Mode: 2 W

Ready: 4 W

Off: 0.4 W

Dimensions and Weight

Size with carton

383(W) x 291(D) x 285(H) mm

Weight with carton

6.3 KG

Size without carton

299(W) x 220(D) x 179(H) mm

Weight without carton

3.6 KG







Professional Document Scanners

Ideal for businesses that scan a large volume of documents on a daily basis. These are built for powering through scanning tasks at speed.

Perfect for

- Scanning batch documents regularly
- Scanning up to 6,000 pages per day
- Ultrafast scanning direct to a PC
- Scanning oversized and fragile documents*

Supplies

PickupRoller, Reverse Roller, Separation Roller
PFK-P001 (Life - 200,000 sheets A4 or 5 Years)
A3 Carrier Sheet
CS-P001 (Life - 2,000 times)

What's in the box

Power Supply, Power Cord, USB Cable, Driver Software for Windows® (DVD), Quick Setup Guide, Product Safety Guide.

* PDS-5000F and PDS-6000F only

Range Specification

Display

2 line x 16 character LCD

Connectivity

USB 3.0 backwards
Compatible with USB 2.0

Memory Capacity

512 MB DDR2

Paper Input / Output

100 sheets

Paper Size

Width 51 - 218mm
Length 54 - 5994mm (200dpi)
2,664mm (300dpi)
6,66mm (600dpi)

Paper Weight

28gsm - 400gsm

2-Sided Scan

Automatic 2-sided scan

Optical Resolution (Scan)

600 x 600dpi

Power Consumption

Operating: 59 W
Sleep Mode: 1.6 W
Ready: 19 W
Off: 0.3 W

Model Specific Specification



PDS-5000

Scan Speed

60ppm black & white/colour

Dimensions and Weight

Size with carton
437(W) x 296(D) x 320(H) mm
Weight with carton
6.5 KG
Size without carton
316(W) x 187(D) x 183(H) mm
Weight without carton
4.7 KG



PDS-6000

Scan Speed

80ppm black & white/colour

Dimensions and Weight

Size with carton
437(W) x 296(D) x 320(H) mm
Weight with carton
6.5 KG
Size without carton
316(W) x 187(D) x 183(H) mm
Weight without carton
4.7 KG



PDS-5000F

Scan Speed

60ppm black & white/colour

Flatbed Scan Speed

1.5 seconds

Dimensions and Weight

Size with carton
720(W) x 439(D) x 386(H) mm
Weight with carton
12.33 KG
Size without carton
323(W) x 613(D) x 263(H) mm
Weight without carton
9.92 KG



PDS-6000F

Scan Speed

80ppm black & white/colour

Flatbed Scan Speed

1.5 seconds

Dimensions and Weight

Size with carton
720(W) x 439(D) x 386(H) mm
Weight with carton
12.33 KG
Size without carton
323(W) x 613(D) x 263(H) mm
Weight without carton
9.92 KG



Advanced roller system reduces any paper flow issues



Adjustable guides for a variety of paper sizes



Perfect for occasionally scanning books*

Labelling

Labelling

Labelling Range

Ideal products for any labelling applications that you require in a home, office or industrial environment. Guaranteed durable laminated labels that are resistant to water, abrasion and extreme temperatures.

Target Audience	Handheld Models	Desktop Models
Home / Small Office	PT-90 PT-H105WB	PT-D210VP
Office Including Facilities Management / Address and Shipping / Visitor Management / Education	PT-H500	PT-D450VP PT-D600VP PT-P700 PT-P750W QL-570 QL-700 QL-710W QL-720NW
Industrial Environments with High Volume Print Including Retail / Healthcare / Warehouses		PT-3600 PT-9600 PT-9700 PT-9800 QL-1050 QL-1060N
Specialists including Electrician / Datacomms / Gardening	PT-E100VP PT-E300VP PT-E550WVP GL-H105VP	Tape Creator

P-Touch or QL?

P-Touch

- Laminated tapes
- From 3.5mm up to 36mm label widths
- 8m tape cassettes



QL

- Paper or film based tapes
- 62mm & 102mm label widths
- Die cut and continuous rolls



Handheld Labelling Machines

Perfect for labelling everyday items around the home and office

- Easy to use handheld labellers
- Ideal for producing labels quickly

Best Before 11/2016

Best Before 12/2016



Product Specification



PT-90

Label Length
Minimum - 30mm
Maximum - 300mm
Vertical Text Printing
Yes
Keyboard
QWERTY
Tape Type
M tape
Print Speed
7.5mm per second

Cutter Type
Manual cutter
Tape Widths
3.5, 6, 9, 12mm
Print Height
Maximum - 7mm
Font Styles
9
Display
1 line x 16 characters

Print Resolution
180dpi
Dimensions and Weight
Size with carton
236(W) X 100(D) X 263(H) mm
Weight with carton
0.23 KG
Size without carton
156(W) x 111(D) x 57(H) mm
Weight without carton
0.25 KG



PT-H105WB

Label Length
Minimum - 30mm
Maximum - 300mm
Vertical Text Printing
Yes
Keyboard
ABC
Tape Type
TZe tape
Print Speed
20mm per second
Cutter Type
Manual cutter

Tape Widths
3.5, 6, 9, 12mm
Print Height
Maximum - 9mm
Font Styles
9
Display
1 line x 12 characters
Max Characters Per Label
385
Print Resolution
180dpi

Dimensions and Weight
Size with carton
198(W) x 270(D) x 93(H) mm
Weight with carton
0.75 KG
Size without carton
110(W) x 207(D) x 59(H) mm
Weight without carton
0.39 KG



PT-H500

Label Length
Minimum - 30mm
Maximum - 300mm
Vertical Text Printing
Yes
Keyboard
QWERTY
Tape Type
TZe tape
Print Speed
30mm per second
PC Connectable
Yes
Cutter Type
Auto cutter

Tape Widths
3.5, 6, 9, 12, 18, 24mm
Print Height
Maximum - 18.1mm
Font Styles
11
Display Resolution
Backlit Graphic Monochrome LCD
Display
3 lines x 16 characters
Max Characters Per Label
280
Number of Barcodes
9

Print Resolution
180dpi
Dimensions and Weight
Size with carton
303(W) x 301(D) x 124(H) mm
Weight with carton
1.6 KG
Size without carton
121(W) x 247(D) x 89(H) mm
Weight without carton
0.83 KG

Perfect for

- Durable, laminated labels
- Storage containers in your kitchen or freezer
- Files and folders on your desk
- School uniforms
- Books and notepads

What's in the box

Black on White M Tape Cassette (12mm - PT-90)
Black on White TZe Tape (12mm - PT-H105WB, 24mm - PT-H500),
User Guide, Warranty Card, Wrist Strap*, USB Cable*, CD-ROM Quick Set-Up Guide*

Supplies

The M/TZe tapes that fit the handheld labelling range can be found on pages 140 - 141

* PT-H500 only

Office Desktop Labelling Machines

For professional office organisation and identification

- Easy to use desktop products
- Soft QWERTY keyboard for fast typing
- Good screen resolution for previewing labels
- Supplied with carry case for storing the labelling machine, tapes and charger



Product Specification



PT-D210VP

Tape Type
TZe tape

Print Speed
30mm per second

Cutter Type
Full automatic cutter

Tape Widths
3.5, 6, 9, 12mm

Label length
Minimum - 30mm
Maximum - 300mm

Maximum Print Height
18.1mm

Print Resolution
180dpi

Print Speed
20mm per second

Cutter Type
Manual cutter

Tape Widths
3.5, 6, 9, 12mm

Maximum Print Height
9mm

Font Styles
9

Display Resolution
Graphic display

Display
1 line x 16 characters

Max Characters Per Label
80

Dimensions and Weight

Size with carton
308(W) x 253(D) x 319(H) mm

Weight with carton
1.62 KG

Size without carton
157(W) x 149(D) x 68(H) mm

Weight without carton
0.49 KG



PT-D450VP

Tape Type
TZe tape

Print Speed
30mm per second

Cutter Type
Full automatic cutter

Tape Widths
3.5, 6, 9, 12, 18mm

Label Length
Minimum - 30mm
Maximum - 300mm

Maximum Print Height
18.1mm

Print Resolution
180dpi

Print Speed
20mm per second

Cutter Type
Manual cutter

Tape Widths
3.5, 6, 9, 12, 18mm

Maximum Print Height
15.8mm

Font Styles
10

Number of Barcodes
9

Display Resolution
Backlit high resolution monochrome graphic display

Display
3 lines x 20 characters

Max Characters Per Label
2800

Connectivity
USB

Dimensions and Weight

Size with carton
345(W) x 324(D) x 144(H) mm

Weight with carton
2.877 KG

Size without carton
188(W) x 177(H) x 72(D) mm

Weight without carton
0.74 KG



PT-D600VP

Tape Type
TZe tape

Print Speed
30mm per second

Cutter Type
Full automatic cutter

Tape widths
3.5, 6, 9, 12, 18, 24mm

Label Length
Minimum - 30mm
Maximum - 300mm

Maximum Print Height
18.1mm

Print Resolution
180dpi

Print Speed
30mm per second

Cutter Type
Full automatic cutter

Tape Widths
3.5, 6, 9, 12, 18, 24mm

Maximum Print Height
18.0mm

Font Styles
10

Number of Barcodes
9

Display Resolution
Backlit high resolution colour LCD with label preview capability

Display
3 lines x 20 characters

Max Characters Per Label
2800

Connectivity
USB

Dimensions and Weight

Size with carton
355(W) x 329(D) x 147(H) mm

Weight with carton
4.0 KG

Size without carton
201(W) x 192(H) x 86(D) mm

Weight without carton
0.95 KG

Perfect for

- Durable, laminated labels
- Office stationery
- Organising folders
- Personal belongings that reside in the office
- Electrical equipment
- Telephones
- Asset tracking
- Switches and sockets

What's in the box

Black on White TZe Tape Cassette (12mm - PT-D210VP, 18mm - PT-D450VP, 24mm - PT-D600VP), AC Adaptor, USB Cable, User Guide

Supplies

The TZe tapes that fit the office desktop range can be found on page 140

PT-P7 Label Printer Series

Print durable, laminated labels from a PC or mobile device.

- Compact label printers
- PC Connectable
- 24mm label width



Product Specification



PT-P700

Tape Type
TZe tape
Print Resolution
180dpi
Tape Widths
3.5, 6, 9, 12, 18, 24mm
Label Length
Minimum - 30mm
Maximum - 300mm
Vertical Text Printing
Yes
Mirror Printing
Yes

Number of Fonts
14
Number of Symbols
617
Dimensions and Weight
Size with carton
235(W) x 287(D) x 136(H) mm
Weight with carton
1.528 KG
Size without carton
78(W) x 143(D) x 152(H) mm
Weight without carton
0.71 KG



PT-P750W

Tape Type
TZe tape
Print Resolution
180dpi
Tape Widths
3.5, 6, 9, 12, 18, 24mm
Label Length
Minimum - 30mm
Maximum - 300mm
Vertical Text Printing
Yes
Mirror Printing
Yes

Number of Fonts
14
Number of Symbols
617
Connectivity
Wireless network
NFC
Dimensions and Weight
Size with carton
235(W) x 287(D) x 136(H) mm
Weight with carton
1.673 KG
Size without carton
78(W) x 152(D) x 143(H) mm
Weight without carton
0.8 KG

Perfect For

- Use around the office
- Perfect for indoor and outdoor use due to the durability and reliability of the TZe Tapes
- Ideal for labelling:
 - Office stationery
 - Files and folders
 - Personal belongings that reside in the office
 - Electrical equipment
 - Telephones
 - Asset tracking

What's in the box

24mm Black on White Tape Cassette, AC Adaptor, User Guide and USB Cable*

Supplies

The TZe tapes that fit the office label printer range can be found on page 140

* PT-P750W only





QL Label Printers

Print professional, adhesive paper labels ranging from pre-cut sizes to continuous roll

- Up to 62mm label width
- Range of pre-sized or continuous tapes for a variety of applications
- Prints continuously up to 1m
- Print logos, borders and barcodes



Product Specification

	QL-570 Print Resolution 300dpi Tape Type DK rolls Cutter Type Full automatic cutter	Roll Width Maximum - 62mm Print Width Maximum - 59mm Connectivity USB Print Speed 110mm per second	Dimensions and Weight Size with carton 261(W) x 182(D) x 240(H) mm Weight with carton 2.46 KG Size without carton 133(W) x 208(D) x 143(H) mm Weight without carton 1.14 KG
	QL-700 Print Resolution 300dpi Tape Type DK rolls Cutter Type Full automatic cutter	Roll Width Maximum - 62mm Print Width Maximum - 59mm Connectivity USB	Dimensions and Weight Size with carton 264(W) x 184(D) x 238(H) mm Weight with carton 2.233 KG Size without carton 128(W) x 221(D) x 153(H) mm Weight without carton 1.12 KG
	QL-710W Print Resolution 300dpi Tape Type DK rolls Cutter Type Full automatic cutter Roll Width Maximum - 62mm	Print Width Maximum - 59mm Connectivity USB Connectivity Wireless network Print Speed 150mm per second	Dimensions and Weight Size with carton 291(W) x 182(D) x 240(H) mm Weight with carton 2.43 KG Size without carton 128(W) x 221(D) x 153(H) mm Weight without carton 1.12 KG
	QL-720NW Print Resolution 300dpi Tape Type DK rolls Cutter Type Full automatic cutter Roll Width Maximum - 62mm	Print Width Maximum - 59mm Connectivity USB Connectivity Wired network Connectivity Wireless network Print Speed 150mm per second	Dimensions and Weight Size with carton 291(W) x 182(D) x 240(H) mm Weight with carton 2.497 KG Size without carton 128(W) x 221(D) x 153(H) mm Weight without carton 1.12 KG

Perfect for

- Ideal for producing:
 - Address labels
 - Shipping labels
 - Visitor badges
 - Barcodes
 - Price tags
- Ideal for labelling:
 - Files and folders
 - Filing cabinets
 - Food ingredients
 - Patient records
 - Shelving
 - Medical equipments
 - Test tubes and specimens

What's in the box

P-touch Editor Software, Power Cord, DK-22205 62mm Continuous Paper (8m Starter), DK-11201 Standard Address Label Starter Roll (100 labels), Quick Set Up Guide, User Guide, USB Cable, CD-ROM, Cleaning Sheet, Label Catch Tray* and Warranty Card*

Supplies

The DK Rolls that fit the desktop label printer range can be found on page 141

* QL-570 only

High Volume Label Printing

These versatile machines enable the creation of clear, professional and durable labels for a wide range of industrial uses, with or without a PC

- Ideal products for high volume label printing
- PC connectable to create labels as and when required
- QWERTY keyboard for ease of use and fast typing

Product Specification



PT-3600

Print Resolution
360dpi
Display
3 lines x 20 characters
Connectivity
USB
Label Length
Minimum - 60mm
Maximum - 999mm
Print Speed
20mm per second

Tape Widths
3.5, 6, 9, 12, 18, 24, 36mm
Maximum Print Height
27mm
Cutter Type
Full automatic cutter
Tape Type
TZe tape
Number of Symbols
449
Font Styles
18

Dimensions and Weight
Size with carton
315(W) x 390(D) x 190(H) mm
Weight with carton
3.852 KG
Size without carton
237(W) x 302(D) x 104(H) mm
Weight without carton
2 KG



PT-9600

Print Resolution
360dpi
Display
3 lines x 20 characters
Connectivity
Serial
USB
Label Length
Minimum - 60mm
Maximum - 999mm
Print Speed
20mm per second

Tape Widths
3.5, 6, 9, 12, 18, 24, 36mm
Maximum Print Height
27mm
Cutter Type
Full automatic cutter
Tape Type
TZe tape
Number of Symbols
449
Font Styles
18

Dimensions and Weight
Size with carton
412(W) x 465(D) x 194(H) mm
Weight with carton
6.439 KG
Size without carton
237(W) x 302(D) x 104(H) mm
Weight without carton
2 KG

Perfect for

- Workshops
- Laboratories
- Large offices
- Class rooms
- Warehouses and industrial environments

What's in the box

24mm Black on White TZe tape, AC Adaptor, User Guide, Warranty Card, Tape Catalogue, Rechargeable Battery Pack.*

Supplies


The TZe tapes that fit the industrial labelling machine range can be found on page 140

* PT-9600 only

High Volume Label Printing via PC

Professional label printers for high-quality, high-volume label printing

- Up to 36mm label width
- Easy to print high volume of tapes with these products
- PC connectable
- Prints on highly durable tapes suitable for indoor or outdoor usage



Product Specification



PT-9700

Print Resolution

360dpi

Connectivity

USB

Print Speed

20mm per second

Tape Widths

3.5, 6, 9, 12, 18, 24, 36mm

Maximum Print Height

27mm

Cutter Type

Full automatic cutter

Tape Type

TZe tape

Dimensions and Weight

Size with carton

227(W) x 277(D) x 252(H) mm

Weight with carton

3.125 KG

Size without carton

116(W) x 192.7(D) x 140(H) mm

Weight without carton

1.57 KG



PT-9800

Print Resolution

360dpi

Connectivity

USB

Wired network

Print Speed

20mm per second

Tape Widths

3.5, 6, 9, 12, 18, 24, 36mm

Maximum Print Height

27mm

Cutter Type

Full automatic cutter

Tape Type

TZe tape

Dimensions and Weight

Size with carton

227(W) x 277(D) x 252(H) mm

Weight with carton

3.272 KG

Size without carton

116(W) x 192.7(D) x 140(H) mm

Weight without carton

1.58 KG

Perfect for

- Ideal for producing:
 - Barcodes
 - Serial numbers
 - Industry symbols
- Ideal for producing labels for:
 - Shelving
 - Organising warehouses
 - Large offices

What's in the box

36mm Black on White High Grade Laminated Tapes, AC Adaptor, USB Cable, User Guide, Warranty Card

Supplies

The TZe tapes that fit the high volume label printer range can be found on page 140

QL Industrial Label Printers

High-speed, heavy-duty label printers for busy environments

- Up to 102mm label width
- Range of pre-sized or continuous tapes for a variety of applications
- Print continuously up to 1m



Product Specification



QL-1050

Print Resolution

300dpi

Tape Type

DK rolls

Print Speed

110mm per second

Cutter Type

Full automatic cutter

Roll Width

Maximum - 102mm

Print Width

Maximum - 98.6mm

Dimensions and Weight

Size with carton

393(W) x 232(D) x 239(H) mm

Weight with carton

3.05 KG

Size without carton

170(W) x 222(D) x 148(H) mm

Weight without carton

1.7 KG



QL-1060N

Print Resolution

300dpi

Tape Type

DK rolls

Print Speed

110mm per second

Cutter Type

Full automatic cutter

Roll Width

Maximum - 102mm

Print Width

Maximum - 98.6mm

Connectivity

Wired network

Dimensions and Weight

Size with carton

232(W) x 393(D) x 239(H) mm

Weight with carton

3.38 KG

Size without carton

170(W) x 220(D) x 147.5(H) mm

Weight without carton

1.73 KG

Perfect for

- Ideal for producing:
 - Address labels
 - Shipping labels
 - Visitor badges
 - Barcodes
 - Price tag labels
 - Banners
 - Signage
 - Notices
- Ideal for labelling:
 - Files and folders
 - Filing cabinets
 - Patient records
 - Shelving

What's in the box

DK-22205 62mm Continuous Starter Roll, DK-11204 Large Shipping Labels Starter Pack, CD ROM, Quick Start Guide, USB Cable, AC Adaptor, DK Roll Guide

Supplies

The DK Rolls that fit the QL industrial label printer range can be found on page 141

Handheld Electrician’s Label Printers

Specialist label printers for a professional and highly durable on-site finish

- Ideal for electrical or datacoms engineers
- Label width of up to 24mm
- Wide range of tapes for any application including heat shrink, security and flexible ID
- Label tool app ideal for creating templates or select from a variety of industry recognised templates (*PT-E550W)
- All products supplied with a carry case for mobile use



Product Specification



PT-E100VP

Keyboard
ABC
Tape Type
TZe tape
Number of Symbols
617
Print Resolution
180dpi
Vertical Text Printing
Yes
Print Speed
20mm per second

Cutter Type
Manual cutter
Tape Widths
3.5, 6, 9, 12mm
Print Height
Maximum - 9 mm
Label length
Minimum - 30mm
Maximum - 300mm
Font Styles
1

Characters Per Label
147
Display
1 line x 16 characters
Dimensions and Weight
Size with carton
314(W) x 116(D) x 279(H) mm
Weight with carton
2.039 KG
Size without carton
110(W) x 207(D) x 59(H) mm
Weight without carton
0.39 KG



PT-E300VP

Keyboard
QWERTY
Tape Type
Hse tape
TZe tape
Number of Symbols
617
Print Resolution
180dpi
Vertical Text Printing
Yes
Print Speed
20mm per second

Cutter Type
Manual cutter
Tape Widths
3.5, 6, 9, 12, 18mm
Print Height
Maximum - 15.8mm
Label Length
Minimum - 25mm
Maximum - 300mm
Number of Barcodes
9
Font Styles
7

Display Resolution
Backlit Graphic Monochrome LCD
Display
3 lines x 15 characters
Characters Per Label
200
Dimensions and Weight
Size with carton
391(W) x 331(D) x 128(H) mm
Weight with carton
2.89 KG
Size without carton
133(W) x 220(D) x 74(H) mm
Weight without carton
0.74 KG



PT-E550WVP

Keyboard
QWERTY
Tape Type
Hse tape
TZe tape
Number of Symbols
617
Print Resolution
180dpi
Vertical Text Printing
Yes
Connectivity
USB
Wireless network

Print Speed
30mm per second
Cutter Type
Full automatic cutter
Tape Widths
3.5, 6, 9, 12, 18, 24mm
Print Height
Maximum - 18mm
Label Length
Minimum - 15mm
Maximum - 300mm
Number of Barcodes
9
Font Styles
9

Display Resolution
Backlit Graphic Monochrome LCD
Display
3 lines x 16 characters
Characters Per Label
1500
Dimensions and Weight
Size with carton
393(W) x 334(D) x 126(H) mm
Weight with carton
3.25 KG
Size without carton
126(W) x 250(D) x 94(H) mm
Weight without carton
1.05 KG

Perfect for

- General electrical and datacoms applications
- Ideal for producing:
 - Heat shrink tube labels
 - Faceplate labels
 - Cable wrap labels
 - Cable flag labels
 - Patch panel labels
- Ideal for creating:
 - Danger and caution signs
 - Testing and inspection labels
 - PAT Testing

What's in the box

Strong Adhesive Black on Yellow TZe Tape,* AC Adaptor, User Guide, Tape Catalogue, Warranty Card, Wrist Strap,** Li-ion Rechargeable Battery,** USB Mini Cable** and Carry Case**

Supplies

The TZe tapes that fit the electricians range can be found on page 140

* PT-E100VP - TZe-S631 12mm, PT-E300VP - TZe-S641 18mm, PT-E550WVP - TZe-S651 24mm
** PT-E300VP and PT-E550WVP only

Handheld Garden Labelling Machine

- Easy to use ABC keyboard
- Prints up to 12mm
- Prints on highly durable tapes suitable for indoor and outdoor use

Product Specification



GL-H105VP

Label Length

Minimum - 30mm
Maximum - 300mm

Vertical Text Printing

Yes

Keyboard

ABC

Tape Type

TZe tape

Print Speed

20mm per second

Cutter Type

Manual cutter

Tape Widths

3.5, 6, 9, 12mm

Print Height

Maximum - 9mm

Font Styles

9

Display

1 line x 12 characters

Max Characters Per Label

385

Print Resolution

180dpi

Dimensions and Weight

Size with carton

198(W) x 270(D) x 93(H) mm

Weight with carton

0.75 KG

Size without carton

110(W) x 207(D) x 59(H) mm

Weight without carton

0.39 KG



Perfect for

- Producing durable, laminated labels for indoor and outdoor use
- Ideal for labelling:
 - Plants
 - Pots
 - Seed trays
 - Shelves

What's in the box

12mm Black on White TZe Tape Cassette, User Guide, Warranty Card, Wrist Strap*, USB Cable, CD-ROM Quick Set-Up Guide*

Supplies

The tape information for the garden labelling machines can be found on page 140

Tape Creator

Create premium customised tapes and ribbons on-demand, in minutes, from 1m up to 66m



Product Specification

Print Resolution

300 dpi

Display

Backlit LCD

Connectivity

USB

Wired network

Print Height

50mm tape - maximum - 44mm

38mm tape - maximum - 32mm

15mm tape - maximum - 11mm

Print Speed

225mm per second

Tape Widths

15, 38, 50mm

Cutter Type

Full automatic cutter

Fabric ribbon tape

Tape Type

Plastic film tape (OPP / PET)

Dimensions and Weight

Size with carton

762(W) x 288(D) x 493(H) mm

Weight with carton

12.0 KG

Size without carton

173(W) x 647(D) x 366(H) mm

Weight without carton

9.5 KG



Perfect for

- Customised printed tapes and ribbons in minutes
- Ideal for producing customised ribbons for:
 - Baby Showers
 - Flower Bouquets
 - Wedding Venues
 - Gifts
- Ideal for producing customised tapes for:
 - Packaging
 - Cartons
 - Parcels
- Suitable for creating:
 - Caution labels
 - Warning notices

What's in the box

- TP-M5000N Tape Creator Pro Machine
- Plastic Holder for Cardboard Tube
- Power Cord
- USB Cable
- Print Head Cleaning Pen
- CD-ROM
- User's Guide (Manual)
- Quick Set Up Guide

Supplies

	15mm width	38mm width	50mm width
White tape spool	MC-ET1WH	MC-PP2WH	MC-PP3WH
Clear tape spool	MC-ET1CL	MC-PP2CL	MC-PP3CL
Yellow tape spool	MC-ET1YE	MC-PP2YE	MC-PP3YE
Blue tape spool	MC-ET1BU	MC-PP2BU	MC-PP3BU
Pink tape spool	MC-ET1PK	MC-PP2PK	MC-PP2PK
Red tape spool	MC-ET1RD	MC-PP2RD	MC-PP3RD
Black ink cassette	RB-ET1BK	RB-PP2BK	RB-PP3BK
White ink cassette	RB-ET1WH	RB-PP2WH	RB-PP3WH
Red ink cassette	RB-ET1RD	RB-PP2RD	RB-PP3RD
Blue ink cassette	RB-ET1BU	RB-PP2BU	RB-PP3BU
Roll core	CR-1L	CR-2L	CR-3L
White fabric ribbon	MC-FA1WH	MC-FA2WH	
Light pink fabric ribbon	MC-FA1LP	MC-FA2LP	
Light blue fabric ribbon	MC-FA1LB	MC-FA2LB	
Black fabric ink cassette	RB-FA1BK	RB-FA2BK	
Red fabric ink cassette	RB-FA1RD	RB-FA2RD	
Blue fabric ink cassette	RB-FA1BU	RB-FA2BU	
Fabric roll core	CR-FA1S	CR-FA2S	

Fax

Laser Fax Series

These machines are ideal for medium volume faxing. With low running costs they give quality, detailed output.

Perfect for

- Faxing up to 2,000 pages per month

Supplies

Standard Toner

TN-2210 - 1,200 pages
TN-2220 - 2,600 pages

Drum Unit

DR-2200 - 12,000 pages

What's in the box

Toner Cartridge, Drum Unit, Power Supply Cord, Fax Cord, Quick Set-Up Guide.

Range Specification
Connectivity USB 2.0
Fax Modem 33,600 BPS
Display 2 lines x 16 characters
Paper Input Standard tray - 250 sheets Manual feed slot - 1 sheet
Paper Output 100 sheets
Print Speed 20ppm mono
Copier Speed 20cpm mono
Paper Size: Standard Tray A4, B5, A5, B6, A6
Manual Feed Slot Width: 76.2mm to 216mm x Length: 116mm to 464mm
Paper Weight 60 - 105 g/m2
Multi-Purpose Tray: Paper Weight 60 - 163g/m2
ADF Paper Weight 64 - 90 g/m2
Speed Dials 200
Automatic Document Feeder 30 sheets
Optical Resolution 600 x 600dpi
Memory Capacity 16 MB

Model Specific Specification		
	FAX-2840	
	<p>Memory Transmission Up to 400 pages</p> <p>Power Consumption Operating: 360W Sleep Mode: 1.5W Ready: 53W Off: 0W</p>	<p>Dimensions and Weight</p> <p>Size with carton 476(W) x 458(D) x 436(H) mm</p> <p>Weight with carton 12.7 KG</p> <p>Size without carton 368(W) x 360(D) x 311(H) mm</p> <p>Weight without carton 8.8 KG</p>
	FAX-2940	
	<p>Memory Transmission Up to 500 pages</p> <p>Power Consumption Operating: 360W Sleep Mode: 1.5W Ready: 53W Off: 0W</p>	<p>Dimensions and Weight</p> <p>Size with carton 476(W) x 458(D) x 436(H) mm</p> <p>Weight with carton 12.9 KG</p> <p>Size without carton 368(W) x 360(D) x 311(H) mm</p> <p>Weight without carton 9 KG</p>

Laser Fax Series

These machines are ideal for high volume faxing. With low running costs they give quality, detailed output.

Perfect for

- Faxing over 2,000 pages per month

Supplies

Standard Toner

TN-6300 - 3,000 pages
TN-6600 - 6,000 pages

Drum Unit


DR-6000 - 20,000 pages

What's in the box

1,000 Page Toner Cartridge, Drum Unit, Power Supply Cord, Telephone Line Cord, Quick Set-up Guide.

Range Specification
Connectivity USB 2.0
Fax Modem 33,600 BPS
Display 2 lines x 16 characters
Paper Input Standard tray - 250 sheets Manual feed slot - 1 sheet
Paper Output 150 sheets
Print Speed 20ppm
Copier Speed 14cpm
Input / Output Width 216 mm
Paper Weight 60 - 105 g/m2
ADF Paper Weight 64 - 90 g/m2
Speed Dials 200
Automatic Document Feeder 30 sheets
Optical Resolution 600 x 600dpi
Memory Capacity 8 MB (RAM) (Increase up to 40MB using 16 or 32MB DIMM)
Power Consumption Operating: 940W Sleep Mode: 10W Ready: 70W Off: 0W

Model Specific Specification



FAX-8360P

Memory Transmission

Up to 400 Pages

Dimensions and Weight

Size with carton

471(W) x 560(D) x 460(H) mm

Weight with carton

16.5 KG

Size without carton

377(W) x 442(D) x 323(H) mm

Weight without carton

12 KG

Thermal Transfer Fax Machines

Ideal for occasional, low cost faxing where space is at a premium.

Perfect for

- Low volume faxing

Supplies

Ribbon Cassette

- PC-75 (144 page ribbon)
- PC-71RF (144 page ribbon)
- PC-72RF (144 page ribbon)
- PC-74RF (144 page ribbon)

What's in the box

Telephone Line Cord, Telephone Handset and Curled Cord, One-touch Name Label, User Guide, Quick Set-up Guide, Cassette Including 30 Page Ribbon Toner.

Range Specification

Display

1 lines x 16 characters

Paper Input

30 sheets

Paper Size: Standard tray

216mm

Speed Dials

100

Automatic Document Feeder

10 sheets

Power Consumption

Operating: 160W

Sleep Mode: 0W

Ready: 4.8W

Off: 0W

Model Specific Specification



FAX-T104

Modem Speed

9,000 BPS

Dimensions and Weight

Size with carton

380(W) x 271(D) x 191(H) mm

Weight with carton

3.4 KG

Size without carton

302(W) x 267(D) x 340(H) mm

Weight without carton

2.7 KG



FAX-T106

Modem Speed

14,400 BPS

Dimensions and Weight

Size with carton

380(W) x 271(D) x 191(H) mm

Weight with carton

3.5 KG

Size without carton

302(W) x 267(D) x 340(H) mm

Weight without carton

2.8 KG

Solutions

Connecting with your mobile device

Life moves pretty quickly these days. But thanks to Brother's range of well connected devices it's now easy to keep up. Print directly from your smartphone or tablet, or scan back from your printer, to view and store documents on the move. Simply connect over a wireless network - or via NFC - and you're ready to go.*

Mobile Print & Scan

There's no need to rely on a mountain of cables to get your important printing and scanning done. Wireless cloud and mobile connectivity means documents are available at the touch of a button, wherever you are.



Google Cloud Print

Connect your Brother printer to the web using Google Cloud Print and open up a world of smartphone and tablet printing possibilities.



Mopria

Provides intuitive, simple wireless printing from smartphones, tablets and other mobile devices.



iPrint&Scan App

iPrint&Scan is an easy-to-use app for Apple, Android (inc Kindle Fire) and Windows mobile devices, that allows you to print from and scan to your mobile device, ready to share online.



Apple AirPrint

Apple AirPrint makes printing from Apple devices easy and straight-forward. All you need is a compatible Apple iOS device that supports AirPrint.



Cortado

Lets Apple iOS, Android and BlackBerry mobile device users print wirelessly whenever they're connected to the same network as their compatible printer.



Brother Print Service Plugin

The Brother Print Service Plugin allows you to print directly from your Android device (Android 5.0 or later)



* selected models only

Connecting to cloud services

Many Brother devices have innovative Web Connect features. These features allow you to upload documents or photos from a scanner or memory card, or print documents directly from popular online storage sites.



Facebook™

Allows a connection directly from your all-in-one printer or scanner.



Flickr

Flickr is an online image portal for storing and sharing photography and other images.



Picasa™

Web Albums™ is a free online photo sharing site. It lets you organise and edit photos to share with friends and family from around the world.



Evernote®

Enables note taking and archiving of the important things from your everyday life. It gives you access to documents from virtually anywhere in the world using any internet-connected computer or mobile device.



Google Drive™

Lets you store and access your documents from almost anywhere in the world. With Google Apps for work, you can create, share and collaborate on files with others.



Dropbox

Dropbox for business enables access to photos, documents and videos from practically any internet-connected computer, laptop, smartphone or tablet.



Onedrive

OneDrive for business lets you save and access photos and documents from virtually any internet-connected computer, laptop, smartphone or tablet.




Box

Box for business allows you to access photos and documents from nearly any internet-connected computer, laptop, smartphone or tablet.



Onenote

OneNote enables note taking and archiving of the important things from your everyday life. It gives you access to documents from almost anywhere in the world using any internet-connected computer or mobile device.



Connecting directly to the cloud

If getting your head in the cloud is what you need, then supported Brother Printers can now connect directly to the following cloud-based services without the need for a PC.

Look for these icons next to our products to see which machines these solutions are compatible with:

iPrint&Label

Brother's iPrint&Label app is free and enables you to easily and conveniently print labels from your Apple® iPhone®, iPad®, iPod touch® or Android™ mobile device on your wireless network.



Cable Label

Quickly and conveniently design labels with a smartphone or tablet and print on our wireless label printers. Templates include cable flag, cable wrap, punch down block, patch panel and compliant wiring regs templates for electricians and installers. Label designs can even be saved for future use. Compatible with Apple™ and Android™ devices, it can be downloaded from the App Store or Google Play.



Mobile Transfer App

Use templates and databases created in-house for on demand printing while on site.





Managed Print Services

Experience the difference with Brother's Managed Print Service

Brother has a long and successful heritage with SMBs and we've used this experience to build our MPS solution from the ground up. It's MPS from Brother, by Brother, using all our own hardware and software. This, combined with our bespoke service approach, will help you build stronger relationships and grow your contracts.

We play to your strengths

We understand that you have your own unique skill set and way of working, so we'll integrate our solution with the services you want to carry out yourself.

You may choose to deliver break and fix services on behalf of Brother or you may want Brother to provide installation services or other items like print assessments.

Most importantly your customer remains YOUR customer – unlike other providers, we'll never go direct to the end user. We'll be at your side all the way, with the support you need to make the most of MPS.

It's a simple, effective sell for you

Our comprehensive packages include everything from an initial print assessment through to repairs and recycling, helping your customers increase efficiency and productivity, while eliminating hidden costs.

Brother will ensure you have everything you need to make Managed Print Services a success.

- Our unique approach keeps you in control of supplying managed print services to your customers
- Your customers will enjoy a print solution that will increase efficiency and productivity
- You and your business will reap the benefits of enhanced customer loyalty and guaranteed margin from contractual sales.



Save time.
Save money.
BOOST
PRODUCTIVITY.



If you'd like to learn more about how you can make your customers printing more efficient and to start selling MPS today, speak to your Brother Account Manager.

Supplies



Brother Genuine Supplies

Brother Printers + Brother Supplies

Our printers and consumables are designed to work together

When your customer has invested in a quality printer, whether it's vibrant colour or crisp mono, it makes sense to choose inks, toners and paper of a similarly high standard. Genuine Brother Original Supplies are made with the customer in mind.

Not only to guarantee effortless performance, and save money in the long run, with prints guaranteed to last 100 years without fading and for perfect prints first time, every time.



Colour Print

Hardware	Toner	Drum	Belt Unit	Waste Toner
HL-3040CN HL-3070CW	TN230BK (approx 2,200 pages) TN230C (approx 1,400 pages) TN230M (approx 1,400 pages) TN230Y (approx 1,400 pages)	DR230CL (approx 15,000 pages)	BU200CL (approx 50,000 pages)	WT200CL (approx 50,000 pages)
HL-3140CW HL-3150CDW HL-3170CDW	TN241BK (approx 2,500 pages) TN241C (approx 1,400 pages) TN241M (approx 1,400 pages) TN241Y (approx 1,400 pages) TN245C (approx 2,200 pages) TN245M (approx 2,200 pages) TN245Y (approx 2,200 pages)	DR241CL (approx 15,000 pages)	BU220CL (approx 50,000 pages)	WT220CL (approx 50,000 pages)
HL-4040CN HL-4050CDN HL-4070CDW	TN130BK (approx 2,500 pages) TN130C (approx 1,500 pages) TN130M (approx 1,500 pages) TN130Y (approx 1,500 pages) TN135BK (approx 5,000 pages) TN135C (approx 4,000 pages) TN135M (approx 4,000 pages) TN135Y (approx 4,000 pages)	DR130CL (approx 17,000 pages)	BU100CL (approx 50,000 pages)	WT100CL (approx 50,000 pages)
HL-4140CN HL-4150CDN	TN320BK (approx 2,500 pages) TN320C (approx 1,500 pages) TN320M (approx 1,500 pages) TN320Y (approx 1,500 pages) TN325BK (approx 4,000 pages) TN325C (approx 3,500 pages) TN325M (approx 3,500 pages) TN325Y (approx 3,500 pages)	DR320CL (approx 25,000 pages)	BU300CL (approx 50,000 pages)	WT300CL (approx 50,000 pages)
HL-4570CDW HL-4570CDWT	TN320BK (approx 2,500 pages) TN320C (approx 1,500 pages) TN320M (approx 1,500 pages) TN320Y (approx 1,500 pages) TN325BK (approx 4,000 pages) TN325C (approx 3,500 pages) TN325M (approx 3,500 pages) TN325Y (approx 3,500 pages) TN328BK (approx 6,000 pages) TN328C (approx 6,000 pages) TN328M (approx 6,000 pages) TN328Y (approx 6,000 pages)	DR320CL (approx 25,000 pages)	BU300CL (approx 50,000 pages)	WT300CL (approx 50,000 pages)
HL-L8250CDN	TN321BK (approx 2,500 pages) TN321C (approx 1,500 pages) TN321M (approx 1,500 pages) TN321Y (approx 1,500 pages) TN326BK (approx 4,000 pages) TN326C (approx 3,500 pages) TN326M (approx 3,500 pages) TN326Y (approx 3,500 pages)	DR321CL (approx 25,000 pages)	BU320CL (approx 50,000 pages)	WT320CL (approx 50,000 pages)
HL-L8350CDW	TN321BK (approx 2,500 pages) TN321C (approx 1,500 pages) TN321M (approx 1,500 pages) TN321Y (approx 1,500 pages) TN326BK (approx 4,000 pages) TN326C (approx 3,500 pages) TN326M (approx 3,500 pages) TN326Y (approx 3,500 pages) TN329BK (approx 6,000 pages) TN329C (approx 6,000 pages) TN329M (approx 6,000 pages) TN329Y (approx 6,000 pages)	DR321CL (approx 25,000 pages)	BU320CL (approx 50,000 pages)	WT320CL (approx 50,000 pages)
HL-L9200CDWT HL-L9300CDWT	TN900BK (approx 6,000 pages) TN900C (approx 6,000 pages) TN900M (approx 6,000 pages) TN900Y (approx 6,000 pages)	DR321CL (approx 25,000 pages)	BU320CL (approx 50,000 pages)	WT320CL (approx 50,000 pages)

Colour All-in-One

Hardware	Toner	Drum	Belt Unit	Waste Toner
MFC-9120CN MFC-9320CW	TN230BK (approx 2,200 pages) TN230C (approx 1,400 pages) TN230M (approx 1,400 pages) TN230Y (approx 1,400 pages)	DR230CL (approx 15,000 pages)	BU200CL (approx 50,000 pages)	WT200CL (approx 50,000 pages)
MFC-9330CDW MFC-9340CDW	TN241BK (approx 2,500 pages) TN241C (approx 1,400 pages) TN241M (approx 1,400 pages) TN241Y (approx 1,400 pages) TN245C (approx 2,200 pages) TN245M (approx 2,200 pages) TN245Y (approx 2,200 pages)	DR241CL (approx 15,000 pages)	BU220CL (approx 50,000 pages)	WT220CL (approx 50,000 pages)
MFC-9440CN MFC-9450CDN MFC-9840CDW	TN130BK (approx 2,500 pages) TN130C (approx 1,500 pages) TN130M (approx 1,500 pages) TN130Y (approx 1,500 pages) TN135BK (approx 5,000 pages) TN135C (approx 4,000 pages) TN135M (approx 4,000 pages) TN135Y (approx 4,000 pages)	DR130CL (approx 17,000 pages)	BU100CL (approx 50,000 pages)	WT100CL (approx 50,000 pages)
MFC-9460CDN MFC-9465CDN	TN320BK (approx 2,500 pages) TN320C (approx 1,500 pages) TN320M (approx 1,500 pages) TN320Y (approx 1,500 pages) TN325BK (approx 4,000 pages) TN325C (approx 3,500 pages) TN325M (approx 3,500 pages) TN325Y (approx 3,500 pages)	DR320CL (approx 25,000 pages)	BU300CL (approx 50,000 pages)	WT300CL (approx 50,000 pages)
MFC-9970CDW	TN320BK (approx 2,500 pages) TN320C (approx 1,500 pages) TN320M (approx 1,500 pages) TN320Y (approx 1,500 pages) TN325BK (approx 4,000 pages) TN325C (approx 3,500 pages) TN325M (approx 3,500 pages) TN325Y (approx 3,500 pages) TN328BK (approx 6,000 pages) TN328C (approx 6,000 pages) TN328M (approx 6,000 pages) TN328Y (approx 6,000 pages)	DR320CL (approx 25,000 pages)	BU300CL (approx 50,000 pages)	WT300CL (approx 50,000 pages)
MFC-L8650CDW	TN321BK (approx 2,500 pages) TN321C (approx 1,500 pages) TN321M (approx 1,500 pages) TN321Y (approx 1,500 pages) TN326BK (approx 4,000 pages) TN326C (approx 3,500 pages) TN326M (approx 3,500 pages) TN326Y (approx 3,500 pages)	DR321CL (approx 25,000 pages)	BU320CL (approx 50,000 pages)	WT320CL (approx 50,000 pages)
MFC-L8850CDW	TN321BK (approx 2,500 pages) TN321C (approx 1,500 pages) TN321M (approx 1,500 pages) TN321Y (approx 1,500 pages) TN326BK (approx 4,000 pages) TN326C (approx 3,500 pages) TN326M (approx 3,500 pages) TN326Y (approx 3,500 pages) TN329BK (approx 6,000 pages) TN329C (approx 6,000 pages) TN329M (approx 6,000 pages) TN329Y (approx 6,000 pages)	DR321CL (approx 25,000 pages)	BU320CL (approx 50,000 pages)	WT320CL (approx 50,000 pages)
MFC-L9550CDWT	TN900BK (approx 6,000 pages) TN900C (approx 6,000 pages) TN900M (approx 6,000 pages) TN900Y (approx 6,000 pages)	DR321CL (approx 25,000 pages)	BU320CL (approx 50,000 pages)	WT320CL (approx 50,000 pages)

Mono Print

Hardware	Toner	Drum
HL-1030, HL-1230 HL-1240, HL-1250, HL-1270N HL-1430, HL-1440 HL-1450, HL-1470N	TN6300 (approx 3,000 pages) TN6600 (approx 6,000 pages)	DR6000 (approx 20,000 pages)
HL-1110, HL-1112 HL-1210W, HL-1212W	TN1050 (approx 1,000 pages)	DR1050 (approx 10,000 pages)
HL-1650, HL-1670N	TN-7600 (approx 6,500 pages)	DR7000 (approx 20,000 pages)
HL-1850, HL-1870N	TN-7300 (approx 3,300 pages) TN7600 (approx 6,500 pages)	DR7000 (approx 20,000 pages)
HL-2030, HL-2040, HL-2070N	TN2000 (approx 2,500 pages)	DR2000 (approx 12,000 pages)
HL-2035, HL-2037	TN2005 (approx 1,500 pages)	DR2005 (approx 12,000 pages)
HL-2130, HL-2132, HL-2135W	TN2010 (approx 1,000 pages)	DR2200 (approx 12,000 pages)
HL-2140, HL-2150N, HL-2170W	TN2110 (approx 1,500 pages) TN2120 (approx 2,600 pages)	DR2100 (approx 12,000 pages)
HL-2240, HL-2240D HL-2250DN, HL-2270DW	TN2210 (approx 1,200 pages) TN2220 (approx 2,600 pages)	DR2200 (approx 12,000 pages)
HL-L2300D, HL-L2340DW HL-L2360DN, HL-L2365DW	TN2310 (approx 1,200 pages) TN2320 (approx 2,600 pages)	DR2300 (approx 12,000 pages)
HL-5030, HL-5040 HL-5050, HL-5070DN	TN7300 (approx 3,300 pages) TN7600 (approx 6,500 pages)	DR7000 (approx 20,000 pages)
HL-5130, HL-5140 HL-5150D, HL-5170DN	TN3030 (approx 3,500 pages) TN3060 (approx 6,700 pages)	DR3000 (approx 20,000 pages)
HL-5240, HL-5250DN HL-5270DN, HL-5280DW	TN3130 (approx 3,500 pages) TN3170 (approx 7,000 pages)	DR3100 (approx 25,000 pages)
HL-5340D, HL-5340DL HL-5350DN, HL-5350DNLT HL-5370DW, HL-5380DN	TN3230 (approx 3,000 pages) TN3280 (approx 8,000 pages)	DR3200 (approx 25,000 pages)
HL-5440D, HL-5450DN HL-5450DNT, HL-5470DW	TN3330 (approx 3,000 pages) TN3380 (approx 8,000 pages)	DR3300 (approx 30,000 pages)
HL-L5000D, HL-L5100DN HL-L5200DW, HL-L5200DWT	TN3430 (approx 3,000 pages) TN3480 (approx 8,000 pages)	DR3400 (approx 30,000 pages)
HL-6050D, HL-6050DN	TN4100 (approx 7,500 pages)	DR4000 (approx 30,000 pages)
HL-6180DW, HL-6180DWT	TN3330 (approx 3,000 pages) TN3380 (approx 8,000 pages) TN3390 (approx 12,000 pages)	DR3300 (approx 30,000 pages)
HL-L6300DW, HL-L6300DWT	TN3430 (approx 3,000 pages) TN3480 (approx 8,000 pages) TN3512 (approx 12,000 pages)	DR3400 (approx 30,000 pages)
HL-L6400DW, HL-L6400DWT	TN3430 (approx 3,000 pages) TN3480 (approx 8,000 pages) TN3512 (approx 12,000 pages) TN3520 (approx 20,000 pages)	DR3400 (approx 30,000 pages)
HL-7050, HL-7050N	TN5500 (approx 12,000 pages)	DR5500 (approx 40,000 pages)
HL-730+, HL-760	TN200 (approx 2,200 pages)	DR200 (approx 8,000 pages)
HL-8050N	TN1700 (approx 17,000 pages)	
HL-P2500	TN6300 (approx 3,000 pages) TN6600 (approx 6,000 pages)	DR6000 (approx 20,000 pages)

Mono All-in-One

Hardware	Toner	Drum
DCP-1510, DCP-1512 DCP-1610W, DCP-1612W MFC-1810, MFC-1910W	TN1050 (approx 1,000 pages)	DR1050 (approx 10,000 pages)
DCP-7010, DCP-7010L, DCP-7025 MFC-7420, MFC-7820N, MFC-7225N	TN2000 (approx 2,500 pages)	DR2000 (approx 12,000 pages)
DCP-7030, DCP-7045N MFC-7320, MFC-7440N, MFC-7840W	TN2110 (approx 1,500 pages) TN2120 (approx 2,600 pages)	DR2100 (approx 12,000 pages)
DCP-7060D, DCP-7065DN, DCP-7070DW MFC-7360N, MFC-7460DN, MFC-7860DW	TN2210 (approx 1,200 pages) TN2220 (approx 2,600 pages)	DR2200 (approx 12,000 pages)
DCP-7055, DCP-7055W	TN2010 (approx 1,000 pages)	DR2200 (approx 12,000 pages)
DCP-L2500D, DCP-L2520DW, DCP-L2540DW MFC-L2700DW, MFC-L2700DN MFC-L2720DW, MFC-L2740DW	TN2310 (approx 1,200 pages) TN2320 (approx 2,600 pages)	DR2300 (approx 12,000 pages)
DCP-8020, DCP-8025D, DCP-8025DN MFC-8420, MFC-8820D, MFC-8820DN	TN7300 (approx 3,300 pages) TN7600 (approx 6,500 pages)	DR7000 (approx 20,000 pages)
DCP-8040, DCP-8045D, DCP-8045DN MFC-8220, MFC-8440 MFC-8840D, MFC-8840DN	TN3030 (approx 3,500 pages) TN3060 (approx 6,700 pages)	DR3000 (approx 20,000 pages)
DCP-8060, DCP-8065DN MFC-8460N, MFC-8860DN, MFC-8870DW	TN3130 (approx 3,500 pages) TN3170 (approx 7,000 pages)	DR3100 (approx 25,000 pages)
DCP-8070D, DCP-8085DN MFC-8370DN, MFC-8380DN MFC-8880DN, MFC-8890DW	TN3230 (approx 3,000 pages) TN3280 (approx 8,000 pages)	DR3200 (approx 25,000 pages)
DCP-8110DN MFC-8510DN, MFC-8520DN	TN3330 (approx 3,000 pages) TN3380 (approx 8,000 pages)	DR3300 (approx 30,000 pages)
DCP-L5500DN MFC-L5700DN, MFC-L5750DW	TN3430 (approx 3,000 pages) TN3480 (approx 8,000 pages)	DR3400 (approx 30,000 pages)
DCP-8250DN MFC-8950DW, MFC-8950DWT	TN3330 (approx 3,000 pages) TN3380 (approx 8,000 pages) TN3390 (approx 12,000 pages)	DR3300 (approx 30,000 pages)
DCP-L6600DW MFC-L6800DW, MFC-L6800DWT	TN3430 (approx 3,000 pages) TN3480 (approx 8,000 pages) TN3512 (approx 12,000 pages)	DR3400 (approx 30,000 pages)
MFC-L6900DW, MFC-L6900DWT	TN3430 (approx 3,000 pages) TN3480 (approx 8,000 pages) TN3512 (approx 12,000 pages) TN3520 (approx 20,000 pages)	DR3400 (approx 30,000 pages)
MFC-9000, MFC-9050, MFC-9060, MFC-9550	TN200 (approx 2,200 pages)	DR200 (approx 8,000 pages)
MFC-9030, MFC-9070, MFC-9160, MFC-9180	TN8000 (approx 2,200 pages)	DR8000 (approx 8,000 pages)
MFC-9650, MFC-9650N, MFC-9660, MFC-9660N MFC-9750, MFC-9750LT, MFC-9760, MFC-9850 MFC-9860, MFC-9870, MFC-9870LT, MFC-9870NLT MFC-9880, MFC-9880N, MFC-9880NLT	TN6300 (approx 3,000 pages) TN6600 (approx 6,000 pages)	DR6000 (approx 20,000 pages)

A4 Inkjet All-in-One

Hardware	Cartridge
DCP-110C, DCP-115C, DCP-120C DCP-310CN, DCP-315CN, DCP-340CW MFC-210C, MFC-215C MFC-3240C, MFC-3340CN, MFC-410CN MFC-425CN, MFC-5440CN, MFC-5840CN MFC-620CN, MFC-640CW, MFC-820CW	LC900BK (approx 500 pages) LC900C (approx 400 pages) LC900M (approx 400 pages) LC900Y (approx 400 pages)
DCP-135C, DCP-150C MFC-235C, MFC-260C	LC970BK (approx 350 pages) LC970C (approx 300 pages) LC970M (approx 300 pages) LC970Y (approx 300 pages)
DCP-145C, DCP-165C, DCP-195C DCP-197C, DCP-365CN, DCP-375CW DCP-365CN, DCP-375CW MFC-250C, MFC-255CW MFC-290C, MFC-295CN	LC980BK (approx 300 pages) LC980C (approx 260 pages) LC980M (approx 260 pages) LC980Y (approx 260 pages)
DCP-J125, DCP-J140W DCP-J315W, DCP-J515W MFC-J220, MFC-J265W MFC-J410, MFC-J415W	LC985BK (approx 300 pages) LC985C (approx 260 pages) LC985M (approx 260 pages) LC985Y (approx 260 pages)
DCP-130C, DCP-330C, DCP-350C DCP-540CN, DCP-560CN DCP-750CW, DCP-770CW MFC-240C, MFC-3360C, MFC-440CN MFC-465CN, MFC-5460CN, MFC-5860CN MFC-660CN, MFC-680CN MFC-845CW, MFC-885CW	LC1000BK (approx 500 pages) LC1000C (approx 400 pages) LC1000M (approx 400 pages) LC1000Y (approx 400 pages)
DCP-385C, DCP-395CN DCP-585CW, DCP-J715W MFC-490CW, MFC-790CW, MFC-795CW MFC-990CW, MFC-5940CN, MFC-J615W	LC1100BK (approx 450 pages) LC1100C (approx 325 pages) LC1100M (approx 325 pages) LC1100Y (approx 325 pages)
DCP-J525W, DCP-J725DW, DCP-J925DW MFC-J430W, MFC-J625DW, MFC-J825DW	LC1220BK (approx 300 pages) LC1220C (approx 300 pages) LC1220M (approx 300 pages) LC1220Y (approx 300 pages) LC1240BK (approx 600 pages) LC1240C (approx 600 pages) LC1240M (approx 600 pages) LC1240Y (approx 600 pages)
DCP-J132W, DCP-J152W DCP-J552DW, DCP-J752DW MFC-J470DW, MFC-J650DW MFC-J870DW	LC121BK (approx 300 pages) LC121C (approx 300 pages) LC121M (approx 300 pages) LC121Y (approx 300 pages) LC123BK (approx 600 pages) LC123C (approx 600 pages) LC123M (approx 600 pages) LC123Y (approx 600 pages)
DCP-J4110DW MFC-J4410DW, MFC-J4510DW MFC-J4610DW, MFC-J4710DW	LC123BK (approx 600 pages) LC123C (approx 600 pages) LC123M (approx 600 pages) LC123Y (approx 600 pages) LC127XLBK (approx 1,200 pages) LC125XLC (approx 1,200 pages) LC125XLM (approx 1,200 pages) LC125XLY (approx 1,200 pages)
DCP-J562DW MFC-J480DW, MFC-J680DW, MFC-J880DW	LC221BK (approx 260 pages) LC221C (approx 260 pages) LC221M (approx 260 pages) LC221Y (approx 260 pages) LC223BK (approx 550 pages) LC223C (approx 550 pages) LC223M (approx 550 pages) LC223Y (approx 550 pages)
DCP-J4120DW MFC-J4320DW, MFC-J4420DW MFC-J4425DW, MFC-J4620DW	LC223BK (approx 550 pages) LC223C (approx 550 pages) LC223M (approx 550 pages) LC223Y (approx 550 pages) LC227XLBK (approx 1,200 pages) LC225XLC (approx 1,200 pages) LC225XLM (approx 1,200 pages) LC225XLY (approx 1,200 pages)

A3 Inkjet All-in-One

Hardware	Cartridge
DCP-6690CW, MFC-6490CW, MFC-6890CDW MFC-5890CW, MFC-5895CW	LC1100BK (approx 450 pages) LC1100C (approx 325 pages) LC1100M (approx 325 pages) LC1100Y (approx 325 pages) LC1100HYBK (approx 900 pages) LC1100HYC (approx 750 pages) LC1100HYM (approx 750 pages) LC1100HYY (approx 750 pages)
MFC-J5910DW, MFC-J6510DW MFC-J6710DW, MFC-J6910DW	LC1240BK (approx 600 pages) LC1240C (approx 600 pages) LC1240M (approx 600 pages) LC1240Y (approx 600 pages) LC1280XLBK (approx 2,400 pages) LC1280XLC (approx 1,200 pages) LC1280XLM (approx 1,200 pages) LC1280XLY (approx 1,200 pages)
MFC-J6520DW, MFC-J6720DW, MFC-J6920DW	LC123BK (approx 600 pages) LC123C (approx 600 pages) LC123M (approx 600 pages) LC123Y (approx 600 pages) LC129XLBK (approx 2,400 pages) LC125XLC (approx 1,200 pages) LC125XLM (approx 1,200 pages) LC125XLY (approx 1,200 pages)
MFC-J5320DW, MFC-J5520DW MFC-J5620DW, MFC-J5720DW	LC223BK (approx 550 pages) LC223C (approx 550 pages) LC223M (approx 550 pages) LC223Y (approx 550 pages) LC229XLBK (approx 2,400 pages) LC225XLC (approx 1,200 pages) LC225XLM (approx 1,200 pages) LC225XLY (approx 1,200 pages)

Fax

Hardware	Toner	Drum
FAX-2820, FAX-2920	TN2000 (approx 2,500 pages)	DR2000 (approx 12,000 pages)
FAX-2840, FAX-2940	TN2210 (approx 1,200 pages) TN2220 (approx 2,600 pages)	DR2200 (approx 12,000 pages)
FAX-8000P, FAX-8060P FAX-8200P, FAX-8250P FAX-8650P	TN200 (approx 2,200 pages)	DR8000 (approx 20,000 pages)
FAX-8070P	TN8000 (approx 2,200 pages)	DR8000 (approx 8,000 pages)
FAX-8350P, FAX-8360P FAX-8750P, FAX-8750P NLT	TN6300 (approx 3,000 pages) TN6600 (approx 6,000 pages)	DR6000 (approx 20,000 pages)

Hardware	Thermal
FAX-T104, FAX-T106	PC75 (approx 144 pages) PC71RF (approx 144 pages) PC72RF (approx 288 pages) PC74RF (approx 576 pages)
FAX-1020, FAX-1030 PLUS, FAX-1030 PLUS E	PC201 (approx 420 pages) PC202RF (approx 840 pages) PC204RF (approx 1680 pages)
FAX-920, FAX-930, FAX-940	PC301 (approx 235 pages) PC302RF (approx 470 pages) PC304RF (approx 940 pages)
FAX-T74, FAX-T76, FAX-T78, FAX-T84 FAX-T86, FAX-T94, FAX-T96, FAX-T98	PC70 (approx 144 pages) PC71RF (approx 144 pages) PC72RF (approx 288 pages) PC74RF (approx 576 pages)

Hardware	Ink
FAX-1360, FAX-1460, FAX-1560	LC1000BK (approx 500 pages)
FAX-1840C, FAX-1940CN, FAX-2440C	LC900BK (approx 500 pages) LC900C (approx 400 pages) LC900M (approx 400 pages) LC900Y (approx 400 pages) LC900HYBK (approx 500 pages)

Brother P-touch laminated labels have been designed to last, wherever you use them.

Whether you need a professional labelling solution for the office, industry or home, Brother P-touch laminated labels have been designed with you in mind. We've thought about exactly when, where and how you might need to use our labels and put them through a series of rigorous tests, which means that even when they're exposed to heavy abrasion, heat, cold, sunshine, water and chemicals, our labels have been designed to last.

Unlike ordinary labels, our laminated tape technology ensures that a layer of super-clear polyethylene laminate protects your text. Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin, extremely strong label.



Label Printers

P-Touch



3.5mm	6mm	9mm	12mm	18mm	24mm	36mm
Standard Laminated - 8m						
	TZe-111	TZe-121	TZe-131	TZe-141	TZe-151	TZe-161
			TZe-132			
			TZe-133			
			TZe-135	TZe-145		
	TZe-211	TZe-221	TZe-231	TZe-241	TZe-251	TZe-261
			TZe-231S*			
		TZe-222	TZe-232	TZe-242	TZe-252	TZe-262
		TZe-223	TZe-233	TZe-243	TZe-253	TZe-263
			TZe-334	TZe-344	TZe-354	
	TZe-315	TZe-325	TZe-335	TZe-345	TZe-355	TZe-365
		TZe-421	TZe-431	TZe-441	TZe-451	TZe-461
			TZe-431S*			
			TZe-435			
		TZe-521	TZe-531	TZe-541	TZe-551	TZe-561
			TZe-535		TZe-555	
	TZe-611	TZe-621	TZe-631	TZe-641	TZe-651	TZe-661
		TZe-721	TZe-731	TZe-741	TZe-751	
Fluorescent Laminated - 5m						
			TZe-B31		TZe-B51	
			TZe-C31		TZe-C51	
Matt Laminated - 8m						
			TZe-M31			
			TZe-MQL35**			
			TZe-MQP35**			
			TZe-MQG35**			
Metallic Laminated - 8m						
			TZe-M931		TZe-M951	TZe-M961
Non-Laminated - 8m						
TZe-N201		TZe-N221	TZe-N231	TZe-N241	TZe-N251	
Flexible ID Laminated - 8m						
	TZe-FX211	TZe-FX221	TZe-FX231	TZe-FX241	TZe-FX251	TZe-FX261
	TZe-FX611	TZe-FX621	TZe-FX631	TZe-FX641	TZe-FX651	TZe-FX661
Strong Adhesive Laminated - 8m						
		TZe-S121	TZe-S131	TZe-S141	TZe-S151	
	TZe-S211	TZe-S221	TZe-S231	TZe-S241	TZe-S251	TZe-S261
		TZe-S621	TZe-S631	TZe-S641	TZe-S651	
Fabric - 3m						
			TZe-FA3			
Security Laminated - 8m						
				TZe-SE4		
High Grade Laminated *** - 8m						
			HGe-131V5		HGe-151V5	
			HGe-231V5		HGe-251V5	HGe -261V5
			HGe-631V5		HGe-651V5	
			HGe-M931V5		HGe-M951V5	
Heat Shrink Tube **** - 1.5m						
	HSe-211	HSe-221	HSe-231	HSe-241	HSe-251	

Actual tape colours may differ slightly from the printed colours. The availability of TZe tapes may also vary in different countries.
* Tape length is 4m / ** Tape length is 5m / ***Only for use with the PT-9700PC or PT-9800PCN / **** Only for use with the PT-E300VP and PT-E550WVP
All P-touch label printers take the TZe tape range excluding the PT-90 which takes the M tape range

Label Printers

P-Touch



9mm	12mm
Non-laminated - 4m	
MK-221SBZ	MK-231SBZ
Non-laminated - 8m	
MK-221BZ	MK-231BZ
MK-222BZ	MK-232BZ
MK-223BZ	MK-233BZ
MK-521BZ	MK-231BZ
MK-621BZ	MK-631BZ



QL

DK Die-Cut Labels	Material	Colour	Size	Item No.
Standard address label (400/roll)	Paper	White	29 x 90 mm	DK-11201
Large address label (400/roll)	Paper	White	38 x 90 mm	DK-11208
Small address label (800 roll)	Paper	White	29 x 62 mm	DK-11209
Shipping label (300/roll)	Paper	White	62 x 100 mm	DK-11202
Barcode label (600/roll)	Paper	White	102 x 51 mm	DK-11240*
Large shipping label (200/roll)	Paper	White	102 x 152 mm	DK-11241*
File folder label (300/roll)	Paper	White	17 x 87 mm	DK-11203
Multi-purpose label (400/roll)	Paper	White	17 x 54 mm	DK-11204
Square label (1000/roll)	Paper	White	23 x 23 mm	DK-11221
CD/DVD label (100/roll)	Film	White	58 mm	DK-11207
Round label (1200/roll)	Paper	White	12 mm	DK-11219
Round label (1000/roll)	Paper	White	24 mm	DK-11218
DK Continuous-Length Tapes - 30.48m				
Continuous-length	Paper	White	12 mm	DK-22214
Continuous-length	Paper	White	29 mm	DK-22210
Continuous-length	Paper	White	38 mm	DK-22225
Continuous-length	Paper	White	50 mm	DK-22223
Continuous-length	Paper, non-adhesive	White	54 mm	DK-N55224
Continuous-length	Paper	White	62 mm	DK-22205
Continuous-length	Paper, removable	White	62 mm	DK-44205
Continuous-length	Paper, removable	Yellow	62 mm	DK-44605
Continuous-length	Paper	White	102 mm	DK-22243*
DK Continuous-Length Tapes - 15.24m				
Continuous-length	Film	White	29 mm	DK-22211
Continuous-length	Film	White	62 mm	DK-22212
Continuous-length	Film	Yellow	62 mm	DK-22606
Continuous-length	Film	Clear	62 mm	DK-22113

* QL-1050 & QL-1060N

Portable Print

Supplies			
Hardware	Code	Type	Size
TD-4000, TD-4100N	RD-S01E2	Continuous receipt paper	102mm
	RD-S02E1	Die-cut labels	102mm x 152mm (278 labels)
	RD-S03E1	Die-cut labels	102mm x 50mm (836 labels)
	RD-S04E1	Die-cut labels	76mm x 26mm (1552 labels)
TD-4000, TD-4100N TD-2020, TD-2120N TD-2130N	RD-S05E1	Die-cut labels	51mm x 26mm (1552 labels)
TD-2020, TD-2120N TD-2130N, TD-4000, TD-4100N	RD-S07E5	Continuous receipt paper	58mm
RJ-4030, RJ-4040	RD-M01E5	Continuous receipt paper	102mm
	RD-M03E1	Die-cut labels	102mm x 152mm (70 labels)
RJ-3050, RJ-3150	RD-P08E5	Continuous receipt paper	56mm
RJ-3150	RD-P09E1	Die-cut labels	76.2mm x 44.5mm (335 labels)
PJ-722, PJ-723, PJ-762 PJ-763, PJ-763MFI, PJ-773	PA-C-411	Cut-sheet thermal paper	A4 (100 sheets)
	PA-R-411	Roll thermal paper	equivalent to 100 A4 sheets
MW-145 BT	C-11	Thermal paper	A7
	C-12	Thermal paper (high durability)	A7
	C-51	Carbon copy (2ply)	A7
MW-260A	C-211S	Thermal paper	A6
	C-212S	Thermal paper (high durability)	A6
	C-251S	Carbon copy (2ply)	A6

Portable Print

Accessories		
Hardware	Code	Type
TD-4000, TD-4100N TD-2120N TD-2130N, TD-2130NHC	PA-BT-4000Li*	Li-ion rechargeable battery
TD-2120N TD-2130N, TD-2130NHC	PA-BB-001	Battery base
TD-2020, TD-2120N TD-2130N, TD-2130NHC	PA-SCA-001	RJ25 to DB9M serial adaptor
RJ-4030, RJ-4040	PA-CM-4000	Car mounting kit
	PA-SS-4000	Shoulder strap
	PA-WC-4000	Printer case
	PA-MCR-4000	Magnetic card reader
	PA-AD-600UK	AC adaptor
	PA-CD-600CG	Car adaptor (cigarette socket)
	PA-CD-600WR	Car adaptor (permanently wired)
	RC-120	Serial interface cable
RJ-3050	PA-BT-001-B	Li-ion battery
RJ-3150	PA-BT-001-A	Li-ion battery
RJ-3050, RJ-3150	PA-SS-4000	Shoulder strap
	PA-CR-001	Printer charging cradle
	PA-BC-001	Single battery charger
	PA-AD-600UK	AC adaptor
	PA-CD-600CG	Car adaptor (cigarette socket)
	PA-CD-600WR	Car adaptor (permanently wired)
	PA-PG-600	Paper Guide
PJ-722, PJ-723	PA-RC-600	Roll printer case
PJ-762, PJ-763 PJ-763MFI, PJ-773	PA-PG-001	Paper Guide
PJ-722, PJ-723 PJ-762, PJ-763 PJ-763MFI, PJ-773	PA-RH-600	Paper roll holder
	PA-BT-002	Li-ion battery
	PA-CC-500	Protective carry case
	PA-RC-001	Roll printer case (IP54 rated) (vehicle mountable)
	PA-RB-001	Rubber protective case
	PA-AD-600UK3	AC adaptor
	PA-CD-600CG	Car adaptor (cigarette socket)
	PA-CD-600WR	Car adaptor (permanently wired)
	PA-CM-500	Vehicle mounting kit
	PG-100	Paper Guide
MW-145BT	PCS-100	Printer case
	BT-100	Li-ion battery
	MA-CD-100	Car adaptor (cigarette socket)
MW-260A	PG-200	Paper guide
	BT-200	Li-ion battery
	MA-CD-100	Car adaptor (cigarette socket)

* For TD-2000 Series PA-BB-001 is also required



Brother UK Ltd.

Shepley Street, Audenshaw,
Manchester, M34 5JD.

Tel: +44 (0)333 777 4444

Fax: +44 (0)161 931 2218

www.brother.co.uk



Working with you for a better environment

All specification is correct at time of printing April 2016.
Brother is a registered trademark of Brother Industries Ltd.
Brand product names are registered trademarks or
trademarks of their respective companies.